Index of Authors

ABELES, F. B. *see* THOMPSON, W. L. 25–32

ABRAMS, M. A. & COOPER, C. Mechanism of increased hepatic uptake of unesterified fatty acid from serum of ethanol-treated rats 47–54

ABRAMS, M. A. & COOPER, C. Quantitative analysis of metabolism of hepatic triglyceride in ethanol-treated rats 33–46

ALLAN, D., WATTS, R. & MICHELL, R. H. Production of 1,2-diacylglycerol and phosphatidate in human erythrocytes treated with calcium ions and ionophore A23187 225–232

ANDERSSON, A. *see* BERNE, C. 461–463

ANGELIN, B., BJÖRKHEM, I. & EINARSSON, K. Effects of clofibrate on some microsomal hydroxylations involved in the formation and metabolism of bile acids in rat liver 445–448

ANTTINEN, H. *see* OIKARINEN, A. 545–551

AUJAME, L. & FREEMAN, K. B. The synthesis of polyadenylic acid-containing ribonucleic acid by isolated mitochondria from Ehrlich ascites cells 499–506

BADAWY, A. A.-B. & EVANS, M. The regulation of rat liver tryptophan pyrrolase activity by reduced nicotinamide–adenine dinucleotide (phosphate). Experiments with glucose and nicotinamide 381–390

BAILEY, D. S. & NORTHCOTE, D. H. Phospholipid composition of the plasma membrane of the green alga, *Hydrodictyon africanum* 295–300

BALLARD, F. J. *see* KNOWLES, S. E. 609–617; TILGHMAN, S. M. 619–626

BANNISTER, D. W. The biochemistry of fatty liver and kidney syndrome. Biotin-mediated restoration of hepatic gluconeogenesis *in vitro* and its relationship to pyruvate carboxylase activity 167–173

BARRETT, M. C. *see* HORTON, A. A. 177–179

BARRETT, R. H. & SELWYN, M. J. Effects of triphenylsulphonium ions on mitochondria. Inhibition of adenosine triphosphatase activity 315–322

BARTON, R. N. Effect of ischaemic limb injury on the rates of metabolism of ketone bodies in starved rats 233–238

BEALL, F. A. *see* THOMPSON, W. L. 25–32

BELL, S. C. & TURNER, J. M. Bacterial catabolism of threonine. Threonine degradation initiated by L-threonine–NAD^+ oxidoreductase 449–458

BERNE, C. & ANDERSSON, A. Long-term effects of a high glucose concentration on cyclic nucleotide phosphodiesterase activity in mouse pancreatic islets maintained in tissue culture 461–463

BILLING, B. H. *see* SUMMERFIELD, J. A. 339–345

BJÖRKHEM, I. *see* ANGELIN, B. 445–448

BORENSZTAJN, J., RONE, M. S. & KOTLAR, T. J. The inhibition *in vivo* of lipoprotein lipase (clearing-factor lipase) activity by Triton WR-1339 539–543

BOVERIS, A., CADENAS, E. & STOPPANI, A. O. M. Role of ubiquinone in the mitochondrial generation of hydrogen peroxide 435–444

BROOKS, D. E. Activity and androgenic control of glycolytic enzymes in the epididymis and epididymal spermatozoa of the rat 527–537

BULETZA, G. F., Jr. & SMITH, M. E. Enzymic hydrolysis of myelin basic protein and other proteins in central nervous system and lymphoid tissues from normal and demyelinating rats 627–633

CADENAS, E. *see* BOVERIS, A. 435–444

CAMERON, B. F. & SMARIGA, P. E. Erythrocyte calcium metabolism. Calcium exchange in normal and sickle-cell-anaemia erythrocytes 577–583

CANNON, M., SMITH, K. E. & CARTER, C. J. Prevention, by ribosome-bound nascent polyphenylalanine chains, of the functional interaction of T-2 toxin with its receptor site 289–294

CARELL, E. F. & GOETZ, G. H. Deoxyribonucleoside triphosphate pools in vitamin B-12-deficient *Euglena gracilis* 473–475

CARTER, C. J. *see* CANNON, M. 289–294

CARTER, W. J., FAAS, F. H. & WYNN, J. O. Stimulation of peptide elongation by thyroxine 713–717

CARVALHO, A. P. *see* VALE, M. G. P. 239–244

CHASE, H. P. *see* GLASGOW, A. M. 301–307

CH'IH, J. J. *see* ROTHBLUM, L. I. 151–157

CHILDS, C. N. *see* TAGER, H. S. 515–520

CLARK, J. B. *see* DENNIS, S. C. 323–331

CLARK, M. G., FILSELL, O. H. & JARRETT, I. G. Gluconeogenesis in isolated intact lamb liver cells. Effects of glucagon and butyrate 671–680

COBLEY, J. G. Energy-conserving reactions in phosphorylating electron-transport particles from *Nitrobacter winogradskyi*, Activation of nitrite oxidation by the electrical component of the protonomotive force

COBLEY, J. G. Reduction of cytochromes by nitrite in electron-transport particles from *Nitrobacter winogradskyi*. Proposal of a mechanism for H^+ translocation 493–498

COOK, G. M. W. *see* WARLEY, A. 245–251

COOPER, C. *see* ABRAMS, M. A. 33–46, 47–54

COOPER, P. H. & STANWORTH, D. R. Characterization of calcium-ion-activated adenosine triphosphatase in the plasma membrane of rat mast cells 691–700

COORE, H. G. *see* FIELD, B. 333–337

CRUMPTON, M. J. *see* LEVIS, G. M. 103–110

DAVIES, D. D. *see* HUMPHREY, T. J. 561–568

DAVIS, S. R. & MEPHAM, T. B. Metabolism of L-[U-^{14}C]-valine, L-[U-^{14}C]leucine, L-[U-^{14}C]histidine and L-[U-^{14}C]phenylalanine by the isolated perfused lactating guinea-pig mammary gland 553–560

DEMETER, S., MUSTARDY, L., MACHOWICZ, E. & GREGORY, R. P. F. The development of the intense circular-dichroic signal during granum formation in greening etiolated maize 469–472

DENNIS, S. C., LAND, J. M. & CLARK, J. B. Glutamate metabolism and transport in rat brain mitochondria 323–331

DEVLIN, T. M. *see* ROTHBLUM, L. I. 151–157

DINTERMAN, R. E. *see* THOMPSON, W. L. 25–32

EINARSSON, K. *see* ANGELIN, B. 445–448

EVANGELATOS, G. P. *see* LEVIS, G. M. 103–110

EVANS, M. *see* BADAWY, A. A.-B. 381–390

FAAS, F. H. *see* CARTER, W. J. 713–717
FATTERPAKER, P. *see* SATAV, J. G. 215–223
FELTS, J. M. *see* MAYES, P. A. 685–689
FERN, E. B. & GARLICK, P. J. Compartmentation of albumin and ferritin synthesis in rat liver *in vivo* 189–192
FIELD, B. & COORE, H. G. Control of rat mammary-gland pyruvate dehydrogenase by insulin and prolactin 333–337
FILSELL, O. H. *see* CLARK, M. G. 671–680
FISHER, L. M. *see* TILGHMAN, S. M. 619–626
FITT, P. S. *see* GREY, V. L. 569–575
FRASER, I. H. & MOOKERJEA, S. Studies on the purification and properties of UDP-galactose–glycoprotein galactosyltransferase from rat liver and serum 347–355
FREEMAN, K. B. *see* AUJAME, L. 499–506

GARLICK, P. J., WATERLOW, J. C. & SWICK, R. W. Measurement of protein turnover in rat liver. Analysis of the complex curve for decay of label in a mixture of proteins 657–663
GARLICK, P. J. *see also* FERN, E. B. 189–192; MILLWARD, D. J. 185–188
GAUTVIK, K. M. & KRIZ, M. Stimulation of prolactin synthesis and of adenosine 3′:5′-cyclic phosphate formation by prostaglandins and thyroliberin in cultured rat pituitary cells 111–117
GLASGOW, A. M. & CHASE, H. P. Effect of pent-4-enoic acid, propionic acid and other short-chain fatty acids on citrulline synthesis in rat liver mitochondria 301–307
GOETZ, G. H. *see* CARRELL, E. F. 473–475
GOLDSPINK, D. F. The effects of denervation on protein turnover of rat skeletal muscle 71–80
GOLLAN, J. L. *see* SUMMERFIELD, J. A. 339–345
GRANT, M. E. *see* HARWOOD, R. 81–90
GREGORY, R. F. P. *see* DEMETER, S. 469–472
GREY, V. L. & FITT, P. S. Evidence for the lack of deoxyribonucleic acid dark-repair in *Halobacterium cutirubrum* 569–575

HALESTRAP, A. P. The mechanism of the inhibition of the mitochondrial pyruvate transporter by α-ycanocinnamate derivatives 181–183
HALESTRAP, A. P. Transport of pyruvate and lactate into human erythrocytes. Evidence for the involvement of the chloride carrier and a chloride-independent carrier 193–207
HALLAM, C. & WRIGGLESWORTH, J. M. Hydrogen-ion titration studies on erythrocyte membranes 159–165
HANSON, R. W. *see* TILGHMAN, S. M. 619–626
HARWOOD, R., GRANT, M. E. & JACKSON, D. S. The route of secretion of procollagen. The influence of αα′-bipyridyl, colchicine and antimycin A on the secretory process in embryonic-chick tendon and cartilage cells 81–90
HAZAN, N. & MCCAULEY, R. Effect of phenobarbitone on the nucleocytoplasmic transport of ribonucleic acid *in vitro* 665–670
HEATON, G. M. & NICHOLLS, D. G. The calcium conductance of the inner membrane of rat liver mitochondria and the determination of the calcium electrochemical gradient 635–646
HEMS, D. A. *see* KIRK, C. J. 593–602; WHITTON, P. D. 585–592
HERBERT, D. & KORNBERG, H. L. Glucose transport as rate-limiting step in the growth of *Escherichia coli* on glucose 477–480
HIGGINS, S. J. *see* MAINWARING, W. I. P. 129–141
HOLLOSZY, J. O. *see* RENNIE, M. J. 647–655
HORTON, A. A. & BARRETT, M. C. Rates of induction of mitochondrial aldehyde dehydrogenase in rat liver 177–179
HUMPHREY, T. J. & DAVIES, D. D. A sensitive method for measuring protein turnover based on the measurement of 2-^{3}H-labelled amino acids in protein 561–568

JACKSON, D. S. *see* HARWOOD, R. 81–90
JARRETT, I. G. *see* CLARK, M. G. 671–680
JONES, C. T. Lipid metabolism and mobilization in the guinea pig during pregnancy 357–365
JONES, O. T. G. *see* LITTLE, H. N. 309–314

KAJI, H. Studies on J-chain biosynthesis in tumours producing immunoglobulins in NZB mice 681–684
KATYARE, S. S. *see* SATAV, J. G. 215–223
KEEN, J. *see* MAINWARING, W. I. P. 253–264
KIRK, C. J., VERRINDER, T. R. & HEMS, D. A. Fatty acid synthesis in the perfused liver of adrenalectomized rats 593–602
KIVIRIKKO, K. I. *see* OIKARINEN, A. 545–551
KNOWLES, C. L. *see* SRIBNEY, M. 507–514
KNOWLES, S. E. & BALLARD, F. J. Selective control of the degradation of normal and aberrant proteins in Reuber H35 hepatoma cells 609–617
KORNBERG, H. L. *see* HERBERT, D. 477–480
KOTLAR, T. J. *see* BORENSZTAJN, J. 539–543
KRAICER, P. F. *see* LEWIN, L. M. 375–380
KRAMER, K. J. *see* TAGER, H. S. 515–520
KRIZ, M. *see* GAUTVIK, K. M. 111–117

LAND, J. M. *see* DENNIS, S. C. 323–331
LAUMAS, K. R. *see* VERMA, U. 55–62
LAZARUS, N. R. *see* O'CONNOR, K. J. 265–277, 279–288
LEVIS, G. M., EVANGELATOS, G. P. & CRUMPTON, M. J. Lipid composition of lymphocyte plasma membrane from pig mesenteric lymph node 103–110
LEVY, J. *see* SENER, A. 521–525
LEWIN, L. M., YANNAI, Y., SULIMOVICI, S. & KRAICER, P. F. Studies on the metabolic role of *myo*-inositol. Distribution of radioactive *myo*-inositol in the male rat 375–380
LITTLE, H. N. & JONES, O. T. G. The subcellular localization and properties of the ferrochelatase of etiolated barley 309–314
LORENZONI, E. *see* STIRPE, F. 1–6
LYMAN, E. M. *see* SRIBNEY, M. 507–514

MACHOWICZ, E. *see* DEMETER, S. 469–472
MAINWARING, W. I. P., RENNIE, P. S. & KEEN, J. The androgenic regulation of prostate proteins with a high affinity for deoxyribonucleic acid. Evidence for a prostate deoxyribonucleic acid-unwinding protein 253–264
MAINWARING, W. I. P., SYMES, E. K. & HIGGINS, S. J. Nuclear components responsible for the retention of steroid–receptor complexes, especially from the standpoint of the specificity of hormonal responses 129–141
MALAISSE, W. J. *see* SENER, A. 521–525

MARCHBANKS, R. M. *see* WONNACOTT, S. 701–712
MARKESE, J. *see* TAGER, H. S. 515–520
MATTIOLI, A. *see* MONTANARO, L. 15–23; SPERTI, S. 7–13
MAYES, P. A. & FELTS, J. M. Effect of haematocrit value and pO_2 on the redox state and metabolism of the perfused liver 685–689
MCCAULEY, R. *see* HAZAN, N. 665–670
MEPHAM, T. B. *see* DAVIS, S. R. 553–560
MICHELL, R. H. *see* ALLAN, D. 225–232
MILLWARD, D. J., GARLICK, P. J., NNANYELUGO, D. O. & WATERLOW, J. C. The relative importance of muscle protein synthesis and breakdown in the regulation of muscle mass 185–188
MONTANARO, L., SPERTI, S., TESTONI, G. & MATTIOLI, A. Effect of elongation factor 2 and of adenosine diphosphate-ribosylated elongation factor 2 on translocation 15–23
MONTANARO, L. *see also* SPERTI, S. 7–13; STIRPE, F. 1–6
MOOKERJEA, S. *see* FRASER, I. H. 347–355
MUSTARDY, L. *see* DEMETER, S. 469–472

NICHOLLS, D. G. *see* HEATON, G. M. 635–646
NIMMO, I. A. *see* STRANGE, R. C. 427–433
NNANYELUGO, D. O. *see* MILLWARD, D. J. 185–188
NORTHCOTE, D. H. *see* BAILEY, D. S. 295–300

O'CONNOR, K. J. & LAZARUS, N. R. Studies on the biosynthesis of pancreatic glucagon in the pigeon (*Columba livia*) 279–288
O'CONNOR, K. J. & LAZARUS, N. R. The purification and biological properties of pancreatic big glucagon 265–277
OIKARINEN, A., ANTTINEN, H. & KIVIRIKKO, K. I. Hydroxylation of lysine and glycosylation of hydroxylysine during collagen biosynthesis in isolated chick-embryo cartilage cells 545–551
OSÓRIO E CASTRO, V. R. *see* VALE, M. G. P. 239–244
OWEN, O. E. *see* PATEL, M. S. 603–607

PATEL, M. S. & OWEN, O. E. Lipogenesis from ketone bodies in rat brain. Evidence for conversion of acetoacetate into acetyl-coenzyme A in the cytosol 603–607
PERCY-ROBB, I. W. *see* STRANGE, R. C. 427–433
PESSION-BRIZZI, A. *see* STIRPE, F. 1–6
PETERS, R. F. & WHITE, A. M. The existence of a glyconeogenic pathway in rat skin 465–468
PIKLER, G. M., WEBSTER, R. A. & SPELSBERG, T. C. Nuclear binding of progesterone in hen oviduct. Binding to multiple sites *in vitro* 399–408
PIKLER, G. M. *see also* WEBSTER, R. A. 409–418

QUARLES, R. H. Effects of Pronase and neuraminidase treatment on a myelin-associated glycoprotein in developing brain 143–150

RAGAN, C. I. The effects of proteolytic digestion by trypsin on the structure and catalytic properties of reduced nicotinamide–adenine dinucleotide dehydrogenase from bovine heart mitochondria 367–374
RENNIE, M. J., WINDER, W. W. & HOLLOSZY, J. O. A sparing effect of increased plasma fatty acids on muscle and liver glycogen content in the exercising rat 647–655
RENNIE, P. S. *see* MAINWARING, W. I. P. 253–264
RENWICK, A. G. C. *see* WYNNE, K. N. 419–425
RESHEF, L. *see* TILGHMAN, S. M. 619–626
ROMEO, D. *see* ZABUCCHI, G. 209–213
RONE, M. S. *see* BORENSZTAJN, J. 539–543
ROTHBLUM, L. I., DEVLIN, T. M. & CH'IH, J. J. Regulation of mammalian protein synthesis *in vivo*. Protein synthesis in rat liver and kidney after the administration of sublethal doses of cycloheximide 151–157

SATAV, J. G., KATYARE, S. S., FATTERPAKER, P. & SREENIVASAN, A. Further characterization of rat liver mitochondrial fractions. Lipid composition and synthesis, and protein profiles 215–223
SEHLIN, J. Calcium uptake by subcellular fractions of pancreatic islets. Effects of nucleotides and theophylline 63–69
SELWYN, M. J. *see* BARRETT, R. H. 315–322
SENER, A., LEVY, J. & MALAISSE, W. J. The stimulus–secretion coupling of glucose-induced insulin release. Does glycolysis control calcium transport in the B-cell? 521–525
SIESS, E. A. & WIELAND, O. H. Phosphorylation state of cytosolic and mitochondrial adenine nucleotides and of pyruvate dehydrogenase in isolated rat liver cells 91–102
SMARIGA, P. E. *see* CAMERON, B. F. 577–583
SMITH, K. E. *see* CANNON, M. 289–294
SMITH, M. E. *see* BULETZA, G. F., JR. 627–633
SPEIRS, R. D. *see* TAGER, H. S. 515–520
SPELSBERG, T. C. Nuclear binding of progesterone in chick oviduct. Multiple binding sites *in vivo* and transcriptional response 391–398
SPELSBERG, T. C. *see also* PIKLER, G. M. 399–408; WEBSTER, R. A. 409–418
SPERTI, S., MONTANARO, L., MATTIOLI, A., TESTONI, G. & STIRPE, F. Inhibition of protein synthesis *in vitro* by crotins and ricin. Effect on the steps of peptide chain elongation 7–13
SPERTI, S. *see also* MONTANARO, L. 15–23; STIRPE, F. 1–6
SREENIVASAN, A. *see* SATAV, J. G. 215–223
SRIBNEY, M., KNOWLES, C. L. & LYMAN, E. M. Regulation of phosphatidylcholine synthesis in rat liver endoplasmic reticulum 507–514
STANWORTH, D. R. *see* COOPER, P. H. 691–700
STIRPE, F., PESSION-BRIZZI, A., LORENZONI, E., STROCCHI, P., MONTANARO, L. & SPERTI, S. Studies on the proteins from the seeds of *Croton tiglium* and of *Jatropha curcas*. Toxic properties and inhibition of protein synthesis *in vitro* 1–6
STIRPE, F. *see also* SPERTI, S. 7–13
STOPPANI, A. O. M. *see* BOVERIS, A. 435–444
STRANGE, R. C., NIMMO, I. A. & PERCY-ROBB, I. W. Equilibrium-dialysis studies of the interaction between cholic acid and 100000*g*-supernatant preparations from the rat liver 427–433
STROCCHI, P. *see* STIRPE, F. 1–6
SULIMOVICI, S. *see* LEWIN, L. M. 375–380

SUMMERFIELD, J. A., GOLLAN, J. L. & BILLING, B. H. Synthesis of bile acid monosulphates by the isolated perfused rat kidney 339–345
SUTER, D. & WEIDEMANN, M. J. Regulation of carbohydrate metabolism in lymphoid tissue. Nature of the endogenous substrates and their contribution to the respiratory fuel of the sliced rat spleen *in vitro* 119–127
SWICK, R. W. *see* GARLICK, P. J. 657–663
SYMES, E. K. *see* MAINWARING, W. I. P. 129–141

TAGER, H. S., MARKESE, J., KRAMER, K. J., SPEIRS, R. D. & CHILDS, C. N. Glucagon-like and insulin-like hormones of the insect neurosecretory system 515–520
TESTONI, G. *see* MONTANARO, L. 15–23; SPERTI, S. 7–13
THOMPSON, W. L., ABELES, F. B., BEALL, F. A., DINTERMAN, R. E. & WANNEMACHER, R. W., JR., Influence of the adrenal glucocorticoids on the stimulation of synthesis of hepatic ribonucleic acid and plasma acute-phase globulins by leucocytic endogenous mediator 25–32
TILGHMAN, S. M., FISHER, L. M., RESHEF, L., BALLARD, F. J. & HANSON, R. W. Partial isolation and translation *in vitro* of messenger ribonucleic acid for phosphoenolpyruvate carboxykinase (guanosine triphosphate) 619–626
TURNER, J. M. *see* BELL, S. C. 449–458

VALE, M. G. P., OSÓRIO E CASTRO, V. R. & CARVALHO, A. P. Synthesis of adenosine triphosphate during release of intravesicular and membrane-bound calcium ions from passively loaded sacroplasmic reticulum 239–244
VERMA, U. & LAUMAS, K. R. Effect of oestradiol-17β and progesterone on the metabolism of [1,2-^{3}H]progesterone by the rabbit endometrium and myometrium 55–62
VERRINDER, T. R. *see* KIRK, C. J. 593–602

WANNEMACHER, R. W., JR. *see* THOMPSON, W. L. 25–32
WARLEY, A. & COOK, G. M. W. Isolation of a Golgi-apparatus-enriched fraction from leukaemic cells 245–251
WATERLOW, J. C. *see* GARLICK, P. J. 657–663; MILLWARD, D. J. 185–188
WATTS, R. *see* ALLAN, D. 225–232
WEBSTER, R. A., PIKLER, G. M. & SPELSBERG, T. C. Nuclear binding of progesterone in hen oviduct. Role of acidic chromatin proteins in high-affinity binding 409–418
WEBSTER, R. A. *see also* PIKLER, G. M. 399–408
WEIDEMANN, M. J. *see* SUTER, D. 119–127
WHITE, A. M. *see* PETERS, R. F. 465–468
WHITTON, P. D. & HEMS, D. A. Glycogen synthesis in the perfused liver of adrenalectomized rats 585–592
WIELAND, O. H. *see* SIESS, E. A. 91–102
WINDER, W. W. *see* RENNIE, M. J. 647–655
WONNACOTT, S. & MARCHBANKS, R. M. Inhibition by botulinum toxin of depolarization-evoked release of [^{14}C]acetylcholine from synaptosomes *in vitro* 701–712
WRIGGLESWORTH, J. M. *see* HALLAM, C. 159–165
WYNN, J. O. *see* CARTER, W. J. 713–717
WYNNE, K. N. & RENWICK, A. G. C. 16β-Hydroxylation of dehydroepiandrosterone sulphate by homogenates of human foetal liver 419–425

YANNAI, Y. *see* LEWIN, L. M. 375–380

ZABUCCHI, G. & ROMEO, D. The dissociation of exocytosis and respiratory stimulation in leucocytes by ionophores 209–213

Index of Subjects

Acetoacetate, effect of ischaemic limb injury on the rates of metabolism of 3-hydroxybutyrate and, in the starved rat (Barton, R. N.) 233–238

Acetoacetate, evidence for the conversion of, into acetoacetyl-coenzyme A in the cytosol fraction during lipogenesis from ketone bodies in rat cerebral cortex (Patel, M. S. & Owen, O. E.) 603–607

Acetoacetyl-coenzyme A, evidence for the conversion of acetoacetate into, in the cytosol fraction during lipogenesis from ketone bodies in rat cerebral cortex (Patel, M. S. & Owen, O. E.) 603–607

Acetylcholine, inhibition by botulinum toxin of the depolarization-evoked release of, from guinea-pig cerebral-cortex synaptosomes *in vitro* (Wonnacott, S. & Marchbanks, R. M.) 701–712

Adenine nucleotides, cytosolic and mitochondrial, phosphorylation state of, and of pyruvate dehydrogenase in isolated rat liver cells (Siess, E. A. & Wieland, O. H.) 91–102

Adenosine 3′:5′-cyclic monophosphate, stimulation by prostaglandins and thyroliberin of the biosynthesis of prolactin and the formation of, in cultured rat pituitary-gland cells (Gautvik, K. M. & Kriz, M.) 111–117

Adenosine triphosphatase, calcium ion-activated, properties of, in rat mast-cell plasma membrane (Cooper, P. H. & Stanworth, D. R.) 691–700

Adenosine triphosphatase, inhibition by triphenylsulphonium ions of oxidative phosphorylation and the activity of, in ox heart mitochondria (Barrett, R. H. & Selwyn, M. J.) 315–322

Adenosine triphosphate, formation of, during the release of intravesicular and membrane-bound calcium ions from passively loaded rabbit skeletal-muscle sarcoplasmic reticulum (Vale, M. G. P., Osório e Castro, V. R. & Carvalho, A. P.) 239–244

Adenosine triphosphate, role of coenzyme A or pantetheine and, in the regulation of the biosynthesis of phosphatidylcholine in rat liver endoplasmic reticulum (Sribney, M., Knowles, C. L. & Lyman, E. M.) 507–514

Adipose tissue, guinea-pig, maternal, metabolism and mobilization of lipids of, and accumulation of triacylglycerol in the liver of the foetus during pregnancy (Jones, C. T.) 357–365

Adipose tissue, rat, inhibitory effect of the administration of Triton WR-1339 on the activity of clearing-factor lipase in, and other tissues (Borensztajn, J., Rone, M. S. & Kotlar, T. J.) 539–543

Adrenalectomy, biosynthesis of fatty acids in perfused rat liver after (Kirk, C. J., Verrinder, T. R. & Hems, D. A.) 593–602

Adrenalectomy, biosynthesis of glycogen in perfused rat liver after (Whitton, P. D. & Hems, D. A.) 585–592

Albumin, plasma, compartmentation of the biosynthesis of ferritin and, in rat liver (Fern, E. B. & Garlick, P. J.) 189–192

Aldehyde dehydrogenase, mitochondrial, liver, rat, rate of induction by ethanol of the activity of (Horton, A. A. & Barrett, M. C.) 177–179

Alkylguanidines, comparison of the inhibitory effects of triphenylsulphonium ions, ethidium bromide and, on the activity of adenosine triphosphatase in ox heart mitochondria (Barrett, R. H. & Selwyn, M. J.) 315–322

Alloxan-diabetes, *see* Diabetes, alloxan-

Amino acids, contribution of, and other endogenous substrates to the respiratory fuel of rat spleen slices *in vitro* (Suter, D. & Wiedemann, M. J.) 119–127

Amino acids, effects of denervation on the transport of, in relation to the turnover of protein in rat skeletal muscle (Goldspink, D. F.) 71–80

Amino acids, 2-^{3}H-labelled, sensitive method for the determination of the turnover of protein in duckweed based on the measurement of, in protein (Humphrey, T. J. & Davies, D. D.) 561–568

Ammonia, effect of glucose on the production of, during normal endogenous metabolism by rat spleen slices *in vitro* (Suter, D. & Wiedemann, M. J.) 119–127

Ammonium chloride, reversal by, of the glucose-induced inhibition of the activity of tryptophan pyrrolase in rat liver (Badawy, A. A.-B. & Evans, M.) 381–390

Anaemia, sickle-cell, exchange of calcium ions in erythrocytes from normal humans and from subjects with (Cameron, B. F. & Smariga, P. E.) 577–583

Androgen–receptor complex, nuclear components responsible for the retention of, by nuclei of rat prostate gland (Mainwaring, W. I. P., Symes, E. K. & Higgins, S. J.) 129–141

Androgens, evidence for a deoxyribonucleic acid-unwinding protein involved in the regulation by, of the biosynthesis of proteins in rat prostate gland (Mainwaring, W. I. P., Rennie, P. S. & Keen, J.) 253–264

Androgens, regulation by, of the activities of glycolytic enzymes in rat epididymis and epididymal spermatozoa (Brooks, D. E.) 527–537

Antimycin A, effects of αα′-bypyridyl, colchicine and, on the secretory process for procollagen in chick-embryo tendon and cartilage cells (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90

Artemia salina, *see* Brine shrimp

Ascites-tumour cells, Ehrlich, biosynthesis of polyadenylate-containing ribonucleic acid by mitochondria isolated from (Aujame, L. & Freeman, K. B.) 499–506

Barley (*Hordeum vulgare*) leaves, etiolated, subcellular localization and properties of ferrochelatase of (Little, H. N. & Jones, O. T. G.) 309–314

[^{14}C]Bicarbonate, sodium, analysis of the complex curve for the disappearance of ^{14}C label during the turnover of a mixture of proteins in rat liver after the injection of (Garlick, P. J., Waterlow, J. C. & Swick, R. W.) 657–663

Bile acid monosulphates, biosynthesis of, by isolated perfused rat kidney (Summerfield, J. A., Gollan, J. L. & Billing, B. H.) 339–345

Bile acids, effects of clofibrate on microsomal hydroxylation reactions involved in the formation and metabolism of, in rat liver (Angelin, B., Björkhem, I. & Einarsson, K.) 445–448

Bile acids, equilibrium-dialysis studies of the interaction between, and rat liver 100000*g* supernatant preparations (Strange, R. C., Nummo, I. A. & Percy-Robb, I. W.) 427–433

Biotin, mediation by, of the restoration of gluconeogenesis and the activity of pyruvate carboxylase activity in liver slices from chicks with fatty liver and kidney syndrome (Bannister, D. W.) 167–173

αα′-Bipyridyl, effects of colchicine, antimycin A and, on the secretory process for procollagen in chick-embryo tendon and cartilage cells (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90

Botulinum toxin, inhibition by, of the depolarization-evoked release of acetylcholine from guinea-pig cerebral-cortex synaptosomes *in vitro* (Wonnacott, S. & Marchbanks, R. M.) 701–712

Brain cortex, guinea-pig, inhibition by botulinum toxin of the depolarization-evoked release of acetylcholine from synaptosomes from, *in vitro* (Wonnacott, S. & Marchbanks, R. M.) 701–712

Brain cortex, rat, evidence for the conversion of acetoacetate into acetyl-coenzyme A in the cytosol fraction during lipogenesis from ketone bodies in (Patel, M. S. & Owen, O. E.) 603–607

Brain, rat, developing, effects of treatment with Pronase and neuraminidase on a myelin-associated glycoprotein from (Quarles, R. H.) 143–150

Brain, rat, enzymic hydrolysis of myelin basic protein and other proteins in, and lymph nodes from normal and demyelinating animals (Buletza, G. F., Jr. & Smith, M. E.) 627–633

Brain, rat, metabolism and transport of glutamate and glutamine in mitochondria from (Dennis, S. C., Land, J. M. & Clark, J. B.) 323–331

Brine shrimp (*Artemia salina*), effects on the steps of peptide chain elongation during inhibition by crotins and ricin of the biosynthesis of protein *in vitro* by ribosomes from (Sperti, S., Montanaro, L., Mattioli, A., Testoni, G. & Stirpe, F.) 7–13

Butyrate, effects of glucagon and, on gluconeogenesis in isolated lamb liver cells (Clark, M. G., Filsell, O. H. & Jarrett, I. G.) 671–680

Calcium ions, conductance of, across the inner membrane of rat liver mitochondria and determination of the electrochemical gradient for calcium ions (Heaton, G. M. & Nicholls, D. G.) 635–646

Calcium ions, control by glycolysis of the transport of, and its relevance to the stimulus–secretion coupling of the glucose-induced release of insulin by rat pancreatic islets of Langerhans (Sener, A., Levy, J. & Malaisse, W. J.) 521–525

Calcium ions, dissociation by ionophores of exocytosis dependent on, and stimulation of respiration in guinea-pig and human leucocytes (Zabucchi, G. & Romeo, D.) 209–213

Calcium ions, effects of nucleotides and theophylline on the uptake of, by subcellular fractions of mouse islets of Langerhans (Sehlin, J.) 63–69

Calcium ions, exchange of, in normal and sickle-cell-anaemia human erythrocytes (Cameron, B. F. & Smariga, P. E.) 577–583

Calcium ions, intravesicular and membrane-bound, formation of adenosine triphosphate during the release of, from passively loaded rabbit skeletal-muscle sarcoplasmic reticulum (Vale, M. G. P., Osório e Castro, V. R. & Carvalho, A. P.) 239–244

Calcium ions, production of 1,2-diacylglycerol and phosphatidate in human erythrocytes treated with ionophore A 23187 and (Allan, D., Watts, R. & Michell, R. H.) 225–232

Carbohydrates, contribution of, and other endogenous substrates to the respiratory fuel of rat spleen slices *in vitro* (Suter, D. & Wiedemann, M. J.) 119–127

Carbon tetrachloride, effect of the administration of, on the uptake of plasma unesterified fatty acids by liver of ethanol-treated rats (Abrams, M. A. & Cooper, C.) 47–54

Cartilage cells, chick-embryo, effects of αα′bipyridyl, colchicine and antimycin A on the secretory process for procollagen in, and tendon cells (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90

Cartilage cells, chick-embryo, isolated, hydroxylation of lysine and glycosylation of hydroxylysine during the biosynthesis of collagen in (Oikarinen, A., Anttinen, H. & Kivirikko, K. I.) 545–551

Casein, incorporation of valine, leucine, histidine and phenylalanine into, by isolated perfused lactating guinea-pig mammary gland (Davis, S. R. & Mepham, T. B.) 553–560

Cells, ascites-tumour, Ehrlich, biosynthesis of polyadenylate-containing ribonucleic acid by mitochondria isolated from (Aujame, L. & Freeman, K. B.) 499–506

Cells, cartilage, chick-embryo, isolated, hydroxylation of lysine and glycosylation of hydroxylysine during the biosynthesis of collagen in (Oikarinen, A., Anttinen, H. & Kivirikko, K. I.) 545–551

Cells, hepatoma, Reuber H35, selective control of the degradation of normal and aberrant proteins in (Knowles, S. E. & Ballard, F. J.) 609–617

Cells, leukaemic, mouse, isolation of a Golgi-apparatus-enriched fraction from (Warley, A. & Cook, G. M. W.) 245–251

Cells, liver, rat, isolated, phosphorylation state of cytosolic and mitochondrial adenine nucleotides and of pyruvate dehydrogenase in (Siess, E. A. & Wieland, O. H.) 91–102

Cells, pituitary-gland, rat, cultured, stimulation by prostaglandins and thyroliberin of the biosynthesis of prolactin and the formation of adenosine 3′:5′-cyclic monophosphate in (Gautvik, K. M. & Kriz, M.) 111–117

Cells, tendon and cartilage, chick-embryo, effects of αα′-bipyridyl, colchicine and antimycin A on the secretory process for procollagen in (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90

Central nervous system, *see* Nervous system, central

Cerebral cortex, guinea-pig, inhibition by botulinum toxin of the depolarization-evoked release of acetylcholine from synaptosomes from, *in vitro* (Wonnacott, S. & Marchbanks, R. M.) 701–712

Cerebral cortex, rat, evidence for the conversion of acetoacetate into acetyl-coenzyme A in the cytosol fraction during lipogenesis from ketone bodies in (Patel, M. S. & Owen, O. E.) 603–607

Chenodeoxycholate 7-sulphate, biosynthesis of, and other bile acid monosulphates by isolated perfused rat kidney (Summerfield, J. A., Gollan, J. L. & Billing, B. H.) 339–345

Chick, biotin-mediated restoration of gluconeogenesis and the activity of pyruvate carboxylase in liver slices from, with fatty liver and kidney syndrome (Bannister, D. W.) 167–173

Chick embryo, effects of αα′-bipyridyl, colchicine and antimycin A on the secretory process for procollagen in tendon and cartilage cells from (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90

Chick embryo, hydroxylation of lysine and glycosylation of hydroxylysine during the biosynthesis of collagen in cartilage cells isolated from (Oikarinen, A., Anttinen, H. & Kivirikko, K. I.) 545–551

Chick, multiple binding sites for progesterone *in vivo* in oviduct nuclei of, and the transcriptional response (Spelsberg, T. C.) 391–398

Chicken, binding of progesterone to multiple sites in oviduct nuclei from, *in vitro* (Pikler, G. M., Webster, R. A. & Spelsberg, T. C.) 399–408

Chicken, role of acidic chromatin proteins in the high-affinity binding of progesterone in oviduct nuclei from (Webster, R. A., Pikler, G. M. & Spelsberg, T. C.) 409–418

Chloride ion carrier, evidence for the involvement of, and of a chloride ion-independent carrier in the transport of pyruvate and lactate into human erythrocytes (Halestrap, A. P.) 193–207

Chloroplast grana, development of the intense circular-dichroic signal during the formation of, in greening etiolated maize leaves (Demeter, S., Mustardy, L., Machowicz, E. & Gregory, R. P. F.) 469–472

Cholesterol, effects of clofibrate on microsomal hydroxylation reactions involved in the formation of bile acids from, in rat liver (Angelin, B., Björkhem, I. & Einarsson, K.) 445–448

Cholic acid, equilibrium-dialysis studies of the interaction between, and rat liver 100000*g* supernatant preparations (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 427–433

Chromatin, liver and kidney, rat, effects of the administration of sublethal doses of cycloheximide on the biosynthesis of the protein components of (Rothblum, L. I., Devlin, T. M. & Ch'ih, J. J.) 151–157

Chromatin, role of acidic proteins of, in the high-affinity binding of progesterone in chicken oviduct nuclei (Webster, R. A., Pikler, G. M. & Spelsberg, T. C.) 409–418

Citrulline, effects of pent-4-enoate, propionate and other short-chain fatty acids on the biosynthesis of, in rat liver mitochondria (Glasgow, A. M. & Chase, H. P.) 301–307

Clearing-factor lipase, *see* Lipase, clearing-factor

Clofibrate [ethyl α-(*p*-chlorophenoxy)isobutyrate], effects of, on microsomal hydroxylation reactions involved in the formation and metabolism of bile acids in rat liver (Angelin, B., Björkhem, I. & Einarsson, K.) 445–448

Coagulating gland, rat, accumulation of *myo*-inositol in, and other organs after its injection into the male animal (Lewin, L. M., Yannai, Y., Sulimovici, S. & Kraicer, P. F.) 375–380

Coenzyme A, role of adenosine triphosphate and, in the regulation of the biosynthesis of phosphatidylcholine in rat liver endoplasmic reticulum (Sribney, M., Knowles, C. L. & Lyman, E. M.) 507–514

Colchicine, effects of αα′-bipyridyl, antimycin A and, on the secretory process for procollagen in chick-embryo tendon and cartilage cells (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90

Collagen, hydroxylation of lysine and glycosylation of hydroxylysine during the biosynthesis of, in isolated chick-embryo cartilage cells (Oikarinen, A., Anttinen, H. & Kivirikko, K. I.) 545–551

Collagen, pro-, effects of αα′-bipyridyl, colchicine and antimycin A on the secretory process for, in chick-embryo tendon and cartilage cells (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90

Columbia livia, *see* Pigeon

Cortisol, influence of, on the stimulation by leucocyte endogenous mediator on the biosynthesis of ribonucleic acid and of plasma acute-phase globulins in rat liver (Thompson, W. L., Abeles, F. B., Beall, F. A., Dinterman, R. E. & Wannemacher, R. W., Jr.) 25–32

Corynebacterium sp. B6 N.C.I.B. 11220, initiation by L-threonine 3-dehydrogenase of the degradation of L-threonine by, and other bacteria (Bell, S. C. & Turner, J. M.) 449–458

Crotins, effects on the steps of peptide chain elongation during inhibition by ricin and, of the biosynthesis of protein *in vitro* by rat liver and *Artemia salina* ribosomes (Sperti, S., Montanaro, L., Mattioli, A., Testoni, G. & Stirpe, F.) 7–13

Crotins, inhibition by curcin and, of the biosynthesis of protein *in vitro* by rabbit reticulocyte lysate (Stirpe, F., Pression-Brizzi, A., Lorenzoni, E., Strocchi, P., Montanaro, L. & Sperti, S.) 1–6

Croton tiglium, inhibition by toxic seed proteins from *Jatropha curcas* and, of the biosynthesis of protein *in vitro* by rabbit reticulocyte lysate (Stirpe, F., Pession-Brizzi, A., Lorenzoni, E., Strocchi, P., Montanaro, L. & Sperti, S.) 1–6

Curcin, inhibition by crotins and, of the biosynthesis of protein *in vitro* by rabbit reticulocyte lysate (Stirpe, F., Pession-Brizzi, A., Lorenzoni, E., Strocchi, P., Montanaro, L. & Sperti, S.) 1–6

α-Cyanocinnamate, mechanism of the inhibition by derivatives of, of the activity of the rat liver mitochondrial pyruvate transporter (Halestrap, A. P.) 181–183

Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate

Cyclic nucleotide phosphodiesterase, long-term effects of high concentrations of glucose on the activity of, in isolated mouse pancreatic islets of Langerhans (Berne, C. & Andersson, A.) 461–463

Cycloheximide, effects of the administration of sublethal doses of, on the biosynthesis of protein in rat liver and kidney (Rothblum, L. I., Devlin, T. M. & Ch'ih, J. J.) 151–157

Cytochromes, proposal of a mechanism for the translocation of hydrogen ions during the reduction of, by nitrite in *Nitrobacter winogradskyi* electron-transport particles (Cobley, J. G.) 493–498

Cytosol, cerebral-cortex, rat, evidence for the conversion of acetoacetate into acetoacetyl-coenzyme A in, during lipogenesis from ketone bodies in the tissue (Patel, M. S. & Owen, O. E.) 603–607
Cytosol, liver, rat, effect of phenobarbitone on the transport of ribonucleic acid from rat liver nuclei to, *in vitro* (Hazan, N. & McCauley, R.) 665–670
Cytosol, liver, rat, phosphorylation state of adenine nucleotides in, and mitochondria and its relationship to the phosphorylation state of pyruvate dehydrogenase (Siess, E. A. & Wieland, O. H.) 91–102
Cytosol preparations, liver, rat, equilibrium-dialysis studies of the interaction between cholic acid and (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 427–433

Dehydroandrosterone 3-sulphate, 16β-hydroxylation of, by homogenates of foetal human liver (Wynne, K. N. & Renwick, A. G. C.) 419–425
Denervation, effects of, on the turnover of protein in rat skeletal muscle (Goldspink, D. F.) 71–80
Deoxyribonucleic acid, evidence for the absence of a dark-repair mechanism for, in *Halobacterium cutirubrum* N.R.C. 34001 (Grey, V. L. & Fitt, P. S.) 569–575
Deoxyribonucleic acid-unwinding protein, evidence for, involved in the androgenic regulation of the biosynthesis of proteins in rat prostate gland (Mainwaring, W. I. P., Rennie, P. S. & Keen, J.) 253–264
Deoxyribonucleoside triphosphates, size of the pools of, in vitamin B_{12}-deficient *Euglena gracilis* strain *Z* (Carell, E. F. & Goetz, G. H.) 473–475
Development, effects of treatment with Pronase and neuraminidase on a myelin-associated glycoprotein obtained from rat brain during (Quarles, R. H.) 143–150
Diabetes, alloxan-, effect of, on the phosphorylation state of cytosolic and mitochondrial adenine nucleotides and of pyruvate dehydrogenase in isolated rat liver cells (Siess, E. A. & Wieland, O. H.) 91–102
1,2-Diacylglycerol, production of phosphatidate and, in human erythrocytes treated with calcium ions and ionophore A23187 (Allan, D., Watts, R. & Michell, R. H.) 225–232
Diglyceride, *see* Diacylglycerol
Duckweed (*Lemna minor*), sensitive method for the determination of the turnover of proteins in, based on the measurement of 2-^{3}H-labelled amino acids in protein (Humphrey, T. J. & Davies, D. D.) 561–568

Ehrlich ascites-tumour cells, biosynthesis of polyadenylate-containing ribonucleic acid by mitochondria isolated from (Aujame, L. & Freeman, K. B.) 499–506
Electrochemical gradient, conductance of calcium ions across the inner membrane of rat liver mitochondria and determination of, for calcium ions (Heaton, G. M. & Nicholls, D. G.) 635–646
Electron-transport particles, *Nitrobacter winogradskyi*, proposal of a mechanism for the translocation of hydrogen ions during the reduction of cytochromes by nitrite in (Cobley, J. G.) 493–498
Electron-transport particles, phosphorylating, *Nitrobacter winogradski*, activation of the oxidation of nitrite by the electrical component of the protonmotive force in energy-conserving reactions in (Cobley, J. G.) 481–491
Elongation factor, *see* Peptide chain elongation factor
Embryo, chick, effects of $\alpha\alpha'$-bipyridyl, colchicine and antimycin A on the secretory process for procollagen in tendon and cartilage cells from (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90
Endometrium, uterine, rabbit, effects of oestradiol-17β and progesterone on the metabolism of [1,2-^{3}H]-progesterone by, and myometrium (Verma, U. & Laumas, K. R.) 55–62
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Epididymis, rat, regulation by androgens of the activities of glycolytic enzymes in, and epididymal spermatozoa (Brooks, D. E.) 527–537
Erythrocytes, human, evidence for the involvement of the chloride ion carrier and of a chloride ion-independent carrier in the transport of pyruvate and lactate into (Halestrap, A. P.) 193–207
Erythrocytes, human, normal and sickle-cell-anaemia, exchange of calcium ions in (Cameron, B. F. & Smariga, P. E.) 577–583
Erythrocytes, human, production of 1,2-diacylglycerol and phosphatidate in, treated with calcium ions and ionophore A23187 (Allan, D., Watts, R. & Michell, R. H.) 225–232
Erythrocytes, human, titration studies of the binding of hydrogen ions to the membrane of (Hallam, C. & Wrigglesworth, J. M.) 159–165
Escherichia coli, glucose transport as the rate-limiting step in the growth of, on glucose (Herbert, D. & Kornberg, H. L.) 477–480
Estradiol, *see* Oestradiol
Estrogens, *see* Oestrogens
Ethanol, mechanism of the increased uptake of plasma unesterified fatty acids by liver of rats treated with (Abrams, M. A. & Cooper, C.) 47–54
Ethanol, quantitative analysis of the metabolism of triacylglycerol in liver of rats treated with (Abrams, M. A. & Cooper, C.) 33–46
Ethanol, rate of induction by, of the activity of rat liver mitochondrial aldehyde dehydrogenase (Horton, A. A. & Barrett, M. C.) 177–179
Ethidium bromide, comparison of the inhibitory effects of triphenylsulphonium ions, ethidium bromide and, on the activity of adenosine triphosphatase in ox heart mitochondria (Barrett, R. H. & Selwyn, M. J.) 315–322
Ethyl α-(*p*-chlorophenoxy)isobutyrate (clofibrate), effects of, on microsomal hydroxylation reactions involved in the formation and metabolism of bile acids in (Angelin, B., Björkhem, I. & Einarsson, K.) 445–448
Etioplasts, barley-leaf, subcellular localization of ferrochelatase in, and properties of the enzyme (Little, H. N. & Jones, O. T. G.) 309–314
Euglena gracilis strain Z, vitamin B_{12}-deficient, size of the pools of deoxyribonucleoside triphosphates in (Carell, E. F. & Goetz, G. H.) 473–475
Exercise, sparing effect of increased concentrations of fatty acids in plasma on the concentrations of glycogen in rat skeletal muscle and liver during (Rennie, M. J., Winder, W. W. & Holloszy, J. O.) 647–655
Exocytosis, dissociation by ionophores of, and stimulation of respiration in guinea-pig and human leucocytes (Zabucchi, G. & Romeo, D.) 209–213

Fatty acids, biosynthesis of, in perfused liver of adrenalectomized rats (Kirk, C. J., Verrinder, T. R. & Hems, D. A.) 593–602
Fatty acids, short-chain, effects of, on the biosynthesis of citrulline in rat liver mitochondria (Glasgow, A. M. & Chase, H. P.) 301–307
Fatty acids, sparing effect of increased concentrations of, in plasma on the concentrations of glycogen in skeletal muscle and liver of the exercising rat (Rennie, M. J., Winder, W. W. & Holloszy, J. O.) 647–655
Fatty acids, unesterified, plasma, rat, mechanism of the increased uptake of, by liver of ethanol-treated animals (Abrams, M. A. & Cooper, C.) 47–54
Fatty acids, unesterified, plasma, rat, quantitative analysis of the incorporation of, into triacylglycerol in liver of ethanol-treated animals (Abrams, M. A. & Cooper, C.) 33–46
Fatty liver and kidney syndrome, biotin-mediated restoration of gluconeogenesis and the activity of pyruvate carboxylase in liver slices from chicks with (Bannister, D. W.) 167–173
Ferrochelatase, subcellular localization and properties of, of etiolated barley leaves (Little, H. N. & Jones, O. T. G.) 309–314
Fructose, reversal by, of the glucose- and nicotinamide-induced inhibition of the activity of tryptophan pyrrolase in rat liver (Badawy, A. A.-B. & Evans, M.) 381–390

Gangliosides, composition of, and other lipids of pig lymphocyte plasma membrane (Levis, G. M., Evangelatos, G. P. & Crumpton, M. J.) 103–110
Globulins, acute-phase, plasma, influence of glucocorticoids on the stimulation by leucocyte endogenous mediator on the biosynthesis of ribonucleic acid and, in rat liver (Thompson, W. L., Abeles, F. B., Beall, F. A., Dinterman, R. E. & Wannemacher, R. W., Jr.) 25–32
Glucagon, big, purification and biological properties of, from ox pancreas (O'Connor, K. J. & Lazarus, N. R.) 265–277
Glucagon, effects of butyrate and, on gluconeogenesis in isolated lamb liver cells (Clark, M. G., Filsell, O. H. & Jarrett, I. G.) 671–680
Glucagon, properties of hormones of the tobacco-hornworm neurosecretory system that are similar to insulin and (Tager, H. S., Markese, J., Kramer, K. J., Speirs, R. D. & Childs, C. N.) 515–520
Glucocorticoid hormones, role of, in stimulation of the biosynthesis of fatty acids in rat liver (Kirk, C. J., Verrinder, T. R. & Hems, D. A.) 593–602
Glucocorticoid hormones, role of, in stimulation of the deposition of glycogen in rat liver (Whitton, P. D. & Hems, D. A.) 585–592
Glucocorticoids, influence of, on the stimulation by leucocyte endogenous mediator on the biosynthesis of ribonucleic acid and of plasma acute-phase globulins in rat liver (Thompson, W. L., Abeles, F. B., Beall, F. A., Dinterman, R. E. & Wannemacher, R. W., Jr.) 25–32
Gluconeogenesis, biotin-mediated restoration of, and the activity of pyruvate carboxylase in liver slices from chicks with fatty liver and kidney syndrome (Bannister, D. W.) 167–173
Gluconeogenesis, effects of glucagon and butyrate on, in isolated lamb liver cells (Clark, M. G., Filsell, O. H. & Jarrett, I. G.) 671–680
Glucose, control by glycolysis of the transport of calcium ions and its relevance to the stimulus–secretion coupling of the induction by, of the release of insulin by rat pancreatic islets of Langerhans (Sener, A., Levy, J. & Malaisse, W. J.) 521–525
Glucose, effects of glucagon and butyrate on the formation of, in isolated lamb liver cells (Clark, M. G., Filsell, O. H. & Jarrett, I. G.) 671–680
Glucose, effects of, on normal endogenous metabolism by rat spleen slices *in vitro* (Suter, D. & Weidemann, M. J.) 119–127
Glucose, effects of the administration of, on the regulation by reduced nicotinamide–adenine dinucleotide (phosphate) of the activity of tryptophan pyrrolase in rat liver (Badawy, A. A.-B. & Evans, M.) 381–390
Glucose, glucose transport as the rate-limiting step in the growth of *Escherichia coli* on (Herbert, D. & Kornberg, H. L.) 477–480
Glucose, long-term effects of high concentrations of, on the activity of cyclic nucleotide phosphodiesterase in isolated mouse pancreatic islets of Langerhans (Berne, C. & Andersson, A.) 461–463
Glutamate, metabolism and transport of glutamine and, in rat brain mitochondria (Dennis, S. C., Land, J. M. & Clark, J. B.) 323–331
Glutamine, metabolism and transport of glutamate and, in rat brain mitochondria (Dennis, S. C., Land, J. M. & Clark, J. B.) 323–331
Glycine, compartmentation of serine and, in the biosynthesis of plasma albumin and ferritin in rat liver (Fern, E. B. & Garlick, P. J.) 189–192
Glycogen, biosynthesis of, in perfused liver of adrenalectomized rats (Whitton, P. D. & Hems, D. A.) 585–592
Glycogen, contribution of, and other endogenous substrates to the respiratory fuel of rat spleen slices *in vitro* (Suter, D. & Weidemann, M. J.) 119–127
Glycogen, evidence for the existence of a pathway for the biosynthesis of, in rat skin (Peters, R. F. & White, A. M.) 465–468
Glycogen, sparing effect of increased concentrations of fatty acids in plasma on the concentrations of, in skeletal muscle and liver of the exercising rat (Rennie, M. J., Winder, W. W. & Holloszy, J. O.) 647–655
Glycolysis, control by, of the transport of calcium ions and its relevance to the stimulus–secretion coupling of the glucose-induced release of insulin by rat pancreatic islets of Langerhans (Sener, A., Levy, J. & Malaisse, W. J.) 521–525
Glycolysis, regulation by androgens of the activities of enzymes involved in, in rat epididymis and epididymal spermatozoa (Brooks, D. E.) 527–537
Glycoprotein galactosyltransferase, presence of, in a Golgi-apparatus-enriched fraction from mouse leukaemic cells (Warley, A. & Cook, G. M. W.) 245–251
Glycoprotein galactosyltransferase, purification and properties of, from rat liver and serum (Fraser, I. H. & Mookerjea, S.) 347–355
Glycoprotein, myelin-associated, brain, rat, developing, effects of treatment with Pronase and neuraminidase on (Quarles, R. H.) 143–150

Glycosphingolipids, composition of, and other lipids of pig lymphocyte plasma membrane (Levis, G. M., Evangelatos, G. P. & Crumpton, M. J.) 103–110
Glycosyltransferases, presence of, in a Golgi-apparatus-enriched fraction from mouse leukaemic cells (Warley, A. & Cook, G. M. W.) 245–251
Golgi apparatus, isolation of a subcellular fraction enriched in, from mouse leukaemic cells (Warley, A. Cook, G. M. W.) 245–251
Grana, chloroplast, development of the intense circular-dichroic signal during the formation of, in greening etiolated maize leaves (Demeter, S., Mustardy, L., Machowicz, E. & Gregory, R. P. F.) 469–472

Haematocrit value, effect of concentration of oxygen and, of perfusion blood on the redox state and metabolism of perfused rat liver (Mayes, P. A. & Felts, J. M.) 685–689
Halobacterium cutirubrum N.R.C. 34001, evidence for the absence of a dark-repair mechanism for deoxyribonucleic acid in (Grey, V. L. & Fitt, P. S.) 569–575
Heart, ox, effects of tryptic digestion on the structure and catalytic properties of mitochondrial reduced nicotinamide–adenine dinucleotide dehydrogenase from (Ragan, C. I.) 367–374
Heart, ox, inhibition by triphenylsulphonium ions of oxidative phosphorylation and the activity of adenosine triphosphatase in mitochondria from (Barrett, R. H. & Selwyn, M. J.) 315–322
Heart, ox, role of ubiquinone in the generation of hydrogen peroxide by mitochondria from (Boveris, A., Cadenas, E. & Stoppani, A. O. M.) 435–444
Heart, rat, inhibitory effect of the administration of Triton WR-1339 on the activity of clearing-factor lipase in, and other tissues (Borensztajn, J., Rone, M. S. & Kotlar, T. J.) 539–543
Hen, *see* Chicken
Hepatocytes, lamb, isolated, effects of glucagon and butyrate on gluconeogenesis in (Clark, M. G., Filsell, O. H. & Jarrett, I. G.) 671–680
Hepatocytes, rat, isolated, phosphorylation state of cytosolic and mitochondrial adenine nucleotides and of pyruvate dehydrogenase in (Siess, E. A. & Wieland, O. H.) 91–102
Hepatoma cells, Reuber H35, selective control of the degradation of normal and aberrant proteins in (Knowles, S. E. & Ballard, F. J.) 609–617
Histidine, metabolism of valine, leucine, phenylalanine and, by isolated perfused lactating guinea-pig mammary gland (Davis, S. R. & Mepham, T. B.) 553–560
Hordeum vulgare, *see* Barley
Hormones, glucagon-like and insulin-like, properties of, of the tobacco-hornworm neurosecretory system (Tager, H. S., Markese, J., Kramer, K. J., Speirs, R. D. & Childs, C. N.) 515–520
Hydrocortisone, *see* Cortisol
Hydrodictyon africanum, composition of the phospholipids of the plasma membrane of (Bailey, D. S. & Northcote, D. H.) 295–300
Hydrogen ions, proposal of a mechanism for the translocation of, during the reduction of cytochromes by nitrite in *Nitrobacter winogradskyi* electron-transport particles (Cobley, J. G.) 493–498
Hydrogen ions, titration studies of the binding of, to human erythrocyte membrane (Hallam, C. & Wrigglesworth, J. M.) 159–165
Hydrogen peroxide, role of ubiquinone in the generation of, by ox heart mitochondria (Boveris, A., Cadenas, E. & Stoppani, A. O. M.) 435–444
3-Hydroxybutyrate, effect of ischaemic limb injury on the rates of metabolism of acetoacetate and, in the starved rat (Barton, R. N.) 233–238
16β-Hydroxydehydroepiandrosterone 3-sulphate, identification of, as a metabolite of dehydroepiandrosterone 3-sulphate formed by homogenates of foetal human liver (Wynne, K. N. & Renwick, A. G. C.) 419–425
Hydroxylysine, hydroxylation of lysine and glycosylation of, during the biosynthesis of collagen in isolated chick-embryo cartilage cells (Oikarinen, A., Anttinen, H. & Kivirikko, K. I.) 545–551

Immunoglubulins, studies on the biosynthesis of J chain in mouse plasmacytomas producing (Kaji, H.) 681–684
Injury, limb, ischaemic, effect of, on the rates of metabolism of ketone bodies in the starved rat (Barton, R. N.) 233–238
myo-Inositol, distribution of, in various organs after its injection into the male rat (Lewin, L. M., Yannai, Y., Sulimovici, S. & Kraicer, P. F.) 375–380
Insulin, control by glycolysis of the transport of calcium ions and its relevance to the stimulus–secretion coupling of the glucose-induced release of, by rat pancreatic islets of Langerhans (Sener, A., Levy, J. & Malaisse, W. J.) 521–525
Insulin, control by prolactin and, of the activity of pyruvate dehydrogenase in lactating rat mammary gland (Field, B. & Coore, H. G.) 333–337
Insulin, properties of hormones of the tobacco-hornworm neurosecretory system that are similar to glucagon and (Tager, H. S., Markese, J., Kramer, K. J., Speirs, R. D. & Childs, C. N.) 515–520
Insulin, selective control by, and other agents of the degradation of normal and aberrant proteins in Reuber H35 hepatoma cells (Knowles, S. E. & Ballard, F. J.) 609–617
Ionophore A23187, production of 1,2-diacylglycerol and phosphatidate in human erythrocytes treated with calcium ions and (Allan, D., Watts, R. & Michell, R. H.) 225–232
Ionophore X-537A, effect of, on the formation of adenosine triphosphate and the release of intravesicular and membrane-bound calcium ions from passively loaded rabbit skeletal-muscle sarcoplasmic reticulum (Vale, M. G. P., Osório e Castro, V. R. & Carvalho, A. P.) 239–244
Ionophores, dissociation by, of exocytosis and stimulation of respiration in guinea-pig and human leucocytes (Zabucchi, G. & Romeo, D.) 209–213
Ischaemic limb injury, effect of, on the rates of metabolism of ketone bodies in the starved rat (Barton, R. N.) 233–238
Islets of Langerhans, mouse, isolated, effects of nucleotides and theophylline on the uptake of calcium ions by subcellular fractions of (Sehlin, J.) 63–69

Islets of Langerhans, pancreatic, mouse, isolated long-term effects of high concentrations of glucose on the activity of cyclic nucleotide phosphodiesterase in (Berne, C. & Andersson, A.) 461–463
Islets of Langerhans, pancreatic, pigeon, isolated, biosynthesis of glucagon in (O'Connor, K. J. & Lazarus, N. R.) 279–288
Islets of Langerhans, pancreatic, rat, control by glycolysis of the transport of calcium ions and its relevance to the stimulus–secretion coupling of the glucose-induced release of insulin by (Sener, A., Levy, J. & Malaisse, W. J.) 521–525

J chain, studies on the biosynthesis of, in mouse plasmacytomas producing immunoglobulins (Kaji, H.) 681–684
Jatropha curcas, inhibition by toxic seed proteins from *Croton tiglium* and, of the biosynthesis of protein *in vitro* by rabbit reticulocyte lysate (Stirpe, F., Pession-Brizzi, A., Lorenzoni, E., Strocchi, P., Montanaro, L. & Sperti, S.) 1–6

Ketone bodies, effect of ischaemic limb injury on the rates of metabolism of, in the starved rat (Barton, R. N.) 233–238
Ketone bodies, evidence for the conversion of acetoacetate into acetyl-coenzyme A in the cytosol fraction during lipogenesis from, in rat cerebral cortex (Patel, M. S. & Owen, O. E.) 603–607
Kidney, rat, effects of the administration of sublethal doses of cycloheximide on the biosynthesis of protein in, and liver (Rothblum, L. I., Devlin, T. M. & Ch'ih, J. J.) 151–157
Kidney, rat, perfused, isolated, biosynthesis of bile acid monosulphates by (Summerfield, J. A., Gollan, J. L. & Billing, B. H.) 339–345

Lactate, evidence for the involvement of the chloride ion carrier and of a chloride ion-independent carrier in the transport of pyruvate and, into human erythrocytes (Halestrap, A. P.) 193–207
Lactation, control by insulin and prolactin of the activity of pyruvate dehydrogenase in rat mammary gland during (Field, B. & Coore, H. G.) 333–337
Lactation, metabolism of valine, leucine, histidine and phenylalanine by perfused guinea-pig mammary gland isolated during (Davis, S. R. & Mepham, T. B.) 553–560
Leaves, barley, etiolated, subcellular localization and properties of ferrochelatase of (Little, H. N. & Jones, O. T. G.) 309–314
Leaves, maize, etiolated, greening, development of the intense circular-dichroic signal during the formation of chloroplast grana in (Demeter, S., Mustardy, L., Machowicz, E. & Gregory, R. P. F.) 469–472
Lecithin, *see* Phosphatidylcholine
Lemna minor, *see* Duckweed
Leucine, effects of the administration of sublethal doses of cycloheximide on the incorporation of, into protein in rat liver and kidney (Rothblum, L. I., Devlin, T. M. & Ch'ih, J. J.) 151–157
Leucine, metabolism of valine, histidine, phenylalanine and, by isolated perfused lactating guinea-pig mammary gland (Davis, S. R. & Mepham, T. B.) 553–560
Leucocytes, guinea-pig and human, dissociation by ionophores of exocytosis and stimulation of respiration in (Zabucchi, G. & Romeo, D.) 209–213
Leucocytes, polymorphonuclear, rabbit, influence of glucocorticoids on the stimulation by endogenous mediating factor from, on the biosynthesis of ribonucleic acid and of plasma acute-phase globulins in rat liver (Thompson, W. L., Abeles, F. B., Beall, F. A., Dinterman, R. E. & Wannemacher, R. W., Jr.) 25–32
Leukaemic cells, mouse, isolation of a Golgi-apparatus-enriched fraction from (Warley, A. & Cook, G. M. W.) 245–251
Limb injury, ischaemic, effect of, on the rates of metabolism of ketone bodies in the starved rat (Barton, R. N.) 233–238
Lipase, clearing-factor, heart, skeletal-muscle and adipose-tissue, rat, inhibitory effect of the administration of Triton WR-1339 on the activity of (Borensztajn, J., Rone, M. S. & Kotlar, T. J.) 539–543
Lipids, adipose-tissue, guinea-pig, maternal, metabolism and mobilization of, and the accumulation of triacylglycerol in the liver of the foetus during pregnancy (Jones, C. T.) 357–365
Lipids, composition and biosynthesis of, and electrophoretic profiles of proteins of heavy and light rat liver mitochondrial fractions (Satav, J. G., Katyare, S. S., Fatterpaker, P. & Sreenivasan, A.) 215–223
Lipids, composition of, of pig lymphocyte plasma membrane (Levis, G. M., Evangelatos, G. P. & Crumpton, M. J.) 103–110
Lipids, contribution of, and other endogenous substrates to the respiratory fuel of rat spleen slices *in vitro* (Suter, D. & Weidemann, M. J.) 119–127
Lipids, evidence for the conversion of acetoacetate into acetyl-coenzyme A in the cytosol fraction during the biosynthesis of, from ketone bodies in rat cerebral cortex (Patel, M. S. & Owen, O. E.) 603–607
Lipogenesis, evidence for the conversion of acetoacetate into acetyl-coenzyme A in the cytosol fraction during, from ketone bodies in rat cerebral cortex (Patel, M. S. & Owen, O. E.) 603–607
Lipogenesis in perfused liver of adrenalectomized rats (Kirk, C. J., Verrinder, T. R. & Hems, D. A.) 593–602
Lipoprotein lipase, *see* Lipase, clearing-factor
Lithocholate 3-sulphate, biosynthesis of, and other bile acid monosulphates by isolated perfused rat kidney (Summerfield, J. A., Gollan, J. L. & Billing, B. H.) 339–345
Liver cells, lamb, isolated, effects of glucagon and butyrate on gluconeogenesis in (Clark, M. G., Filsell, O. H. & Jarrett, I. G.) 671–680
Liver cells, rat, isolated, phosphorylation state of cytosolic and mitochondrial adenine nucleotides and of pyruvate dehydrogenase in (Siess, E. A. & Wieland, O. H.) 91–102
Liver, chick, biotin-mediated restoration of gluconeogenesis and the activity of pyruvate carboxylase in slices of, from animals with fatty liver and kidney syndrome (Bannister, D. W.) 167–173
Liver, guinea-pig, foetal, metabolism and mobilization of maternal adipose-tissue lipids and the accumulation of triacylglycerol in, during pregnancy (Jones C. T.) 357–365

Liver, human, foetal, 16β-hydroxylation of dehydroepiandrosterone 3-sulphate by homogenates of (Wynne, K. N. & Renwick, A. G. C.) 419–425
Liver, rat, analysis of the complex curve for the disappearance of ^{14}C label during the turnover of a mixture of proteins in, after the injection of sodium [^{14}C]-bicarbonate (Garlick, P. J., Waterlow, J. C. & Swick, R. W.) 657–663
Liver, rat, compartmentation of the biosynthesis of plasma albumin and ferritin in (Fern, E. B. & Garlick, P. J.) 189–192
Liver, rat, composition and biosynthesis of lipids and electrophoretic profiles of proteins of heavy and light mitochondrial fractions from (Satav, J. G., Katyare, S. S., Fatterpaker, P. & Sreenivasan, A.) 215–223
Liver, rat, conductance of calcium ions across the inner membrane of mitochondria from, and determination of the electrochemical gradient for calcium ions (Heaton, G. M. & Nicholls, D. G.) 635–646
Liver, rat, effect of phenobarbitone on the transport of ribonucleic acid from nuclei to cytosol fraction from, *in vitro* (Hazan, N. & McCauley, R.) 665–670
Liver, rat, effects of clofibrate on microsomal hydroxylation reactions involved in the formation and metabolism of bile acids in (Angelin, B., Björkhem, I. & Einarsson, K.) 445–448
Liver, rat, effects of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor 2 on the translocation of peptidyl-transfer ribonucleic acid on ribosomes from (Montanaro, L., Sperti, S., Testoni, G. & Mattioli, A.) 15–23
Liver, rat, effects of pent-4-enoate, propionate and other short-chain fatty acids on the biosynthesis of citrulline in mitochondria from (Glasgow, A. M. & Chase, H. P.) 301–307
Liver, rat, effects of the administration of glucose or nicotinamide on the regulation by reduced nicotinamide–adenine dinucleotide (phosphate) of the activity of tryptophan pyrrolase in (Badawy, A. A.-B. & Evans, M.) 381–390
Liver, rat, effects of the administration of sublethal doses of cycloheximide on the biosynthesis of protein in, and kidney (Rothblum, L. I., Devlin, T. M. & Ch'ih, J. J.) 151–157
Liver, rat, effects on the steps of peptide chain elongation during inhibition by crotins and ricin of the biosynthesis of protein *in vitro* by ribosomes from (Sperti, S., Montanaro, L., Mattioli, A., Testoni, G. & Stirpe, F.) 7–13
Liver, rat, equilibrium-dialysis studies of the interaction between cholic acid and 100000*g* supernatant preparations from (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 427–433
Liver, rat, extraction of messenger ribonucleic acid for phosphoenolpyruvate carboxykinase (guanosine triphosphate) from, and its translation *in vitro* by a cell-free system from rabbit reticulocytes (Tilghman, S. M., Fisher, L. M., Reshef, L., Ballard, F. J. & Hanson, R. W.) 619–626
Liver, rat, influence of glucocorticoids on the stimulation by leucocyte endogenous mediator on the biosynthesis of ribonucleic acid and of plasma acute-phase gloublins in (Thompson, W. L., Abeles, F. B., Beall, F. A., Dinterman, R. E. & Wannemacher, R. W., Jr.) 25–32
Liver, rat, mechanism of the increased uptake of plasma unesterified fatty acids by, of ethanol-treated animals (Abrams, M. A. & Cooper, C.) 47–54
Liver, rat, mechanism of the inhibition by α-cyanocinnamate derivatives of the activity of the mitochondrial pyruvate transporter of (Halestrap, A. P.) 181–183
Liver, rat, perfused, biosynthesis of fatty acids in, after adrenalectomy (Kirk, C. J., Verrinder, T. R. & Hems, D. A.) 593–602
Liver, rat, perfused, biosynthesis of glycogen in, after adrenalectomy (Whitton, P. D. & Hems, D. A.) 585–592
Liver, rat, perfused, effect of haematocrit value and concentration of oxygen of perfusion blood on the redox state and metabolism of (Mayes, P. A. & Felts, J. M.) 685–689
Liver, rat, purification and properties of uridine diphosphate galactose–glycoprotein galactosyltransferase from, and serum (Fraser, I. H. & Mookerjea, S.) 347–355
Liver, rat, quantitative analysis of the metabolism of triacylglycerol in, of ethanol-treated animals (Abrams, M. A. & Cooper, C.) 33–46
Liver, rat, rate of induction by ethanol of the activity of mitochondrial aldehyde dehydrogenase in (Horton, A. A. & Barrett, M. C.) 177–179
Liver, rat, regulation of the biosynthesis of phosphatidylcholine in endoplasmic reticulum of (Sribney, M., Knowles, C. L. & Lyman, E. M.) 507–514
Liver, rat, sparing effect of increased concentrations of fatty acids in plasma on the concentrations of glycogen in, and skeletal muscle during exercise (Rennie, M. J., Winder, W. W. & Holloszy, J. O.) 647–655
Liver, rat, stimulation by thyroxine of peptide elongation by a cell-free system containing polyribosomes from (Carter, W. J., Faas, F. H. & Wynn, J. O.) 713–717
Lymph node, mesenteric, pig, composition of the lipid fraction of the plasma membrane of lymphocytes from (Levis, G. M., Evangelatos, G. P. & Crumpton, M. J.) 103–110
Lymph nodes, rat, enzymic hydrolysis of myelin basic protein and other proteins in, and central nervous system from normal and demyelinating animals (Buletza, G. F., Jr. & Smith, M. E.) 627–633
Lymphoblasts, leukaemic, mouse, isolation of a Golgi-apparatus-enriched fraction from (Warley, A. & Cook, G. M. W.) 245–251
Lymphocytes, lymph-node, mesenteric, pig, composition of the lipid fraction of the plasma membrane of (Levis, G. M., Evangelatos, G. P. & Crumpton, M. J.) 103–110
Lysine, hydroxylation of, and glycosylation of hydroxylysine during the biosynthesis of collagen in isolated chick-embryo cartilage cells (Oikarinen, A., Anttinen, H. & Kivirikko, K. I.) 545–551

Maize (*Zea mays*) leaves, etiolated, greening, development of the intense circular-dichroic signal during the formation of chloroplast grana in (Demeter, S., Mustardy, L., Machowicz, E. & Gregory, R. P. F.) 469–472
Mammary gland, guinea-pig, lactating, perfused, isolated, metabolism of valine, leucine, histidine and phenylalanine by (Davis, S. R. & Mepham, T. B.) 553–560

Mammary gland, rat, lactating, control by insulin and prolactin of the activity of pyruvate dehydrogenase in (Field, B. & Coore, H. G.) 333–337
Manduca sexta, *see* Tobacco hornworm
Mast cells, rat, properties of calcium ion-activated adenosine triphosphatase in plasma membrane of (Cooper, P. H. & Stanworth, D. R.) 691–700
Membrane, erythrocyte, human, evidence for the involvement of the chloride ion carrier and of a chloride ion-independent carrier in the transport of pyruvate and lactate across (Halestrap, A. P.) 193–207
Membrane, erythrocyte, human, titration studies of the binding of hydrogen ions to (Hallam, C. & Wrigglesworth, J. M.) 159–165
Membrane, inner, mitochondrial, rat, conductance of calcium ions across, and determination of the electrochemical gradient for calcium ions (Heaton, G. M. & Nicholls, D. G.) 635–646
Membrane, plasma, *Hydrodictyon africanum*, composition of the phospholipids of (Bailey, D. S. & Northcote, D. H.) 295–300
Membrane, plasma, lymphocyte, pig, composition of the the lipid fraction of (Levis, G. M., Evangelatos, G. P. & Crumpton, M. J.) 103–110
Membrane, plasma, mast-cell, rat, properties of calcium ion-activated adenosine triphosphatase in (Cooper, P. H. & Stanworth, D. R.) 691–700
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger
Microsomal fraction, islet-of-Langerhans, mouse, effects of nucleotides and theophylline on the uptake of calcium ions by (Sehlin, J.) 63–69
Microsomal fraction, liver, rat, effects of clofibrate on hydroxylation reactions in, involved in the formation and metabolism of bile acids (Angelin, B., Björkhem, I. & Einarsson, K.) 445–448
Microsomal fraction, liver, rat, purification and properties of uridine diphosphate galactose–glycoprotein galactosyltransferase from, and serum (Fraser, I. H. & Mookerjea, S.) 347–355
Microsomal fraction, liver, rat, regulation of the biosynthesis of phosphatidylcholine in (Sribney, M., Knowles, C. L. & Lyman, E. M.) 507–514
Mitochondria, brain, rat, metabolism and transport of glutamate and glutamine in (Dennis, S. C., Land, J. M. & Clark, J. B.) 323–331
Mitochondria, Ehrlich-ascites-tumour-cell, isolated, biosynthesis of polyadenylate-containing ribonucleic acid by (Aujame, L. & Freeman, K. B.) 499–506
Mitochondria, heart, ox, effects of tryptic digestion on the structure and catalytic properties of reduced nicotinamide–adenine dinucleotide dehydrogenase from (Ragan, C. I.) 367–374
Mitochondria, heart, ox, inhibition by triphenylsulphonium ions of oxidative phosphorylation and the activity of adenosone triphosphatase in (Barrett, R. H. & Selwyn, M. J.) 315–322
Mitochondria, heart, ox, role of ubiquinone in the generation of hydrogen peroxide by (Boveris, A., Cadenas, E. & Stoppani, A. O. M.) 435–444
Mitochondria, liver, rat, composition and biosynthesis of lipids and electrophoretic profiles of proteins of heavy and light fractions of (Satav, J. G., Katyare, S. S., Fatterpaker, P. & Sreenivasan, A.) 215–223
Mitochondria, liver, rat, conductance of calcium ions across the inner membrane of, and determination of the electrochemical gradient for calcium ions (Heaton, G. M. & Nicholls, D. G.) 635–646
Mitochondria, liver, rat, effects of pent-4-enoate, propionate and other short-chain fatty acids on the biosynthesis of citrulline in (Glasgow, A. M. & Chase, H. P.) 301–307
Mitochondria, liver, rat, mechanism of the inhibition by α-cyanocinnamate derivatives of the activity of the pyruvate transporter of (Halestrap, A. P.) 181–183
Mitochondria, liver, rat, phosphorylation state of adenine nucleotides in, and cytosol and its relationship to the phosphorylation state of pyruvate dehydrogenase (Siess, E. A. & Wieland, O. H.) 91–102
Mitochondria, liver, rat, rate of induction by ethanol of the activity of aldehyde dehydrogenase of (Horton, A. A. & Barrett, M. C.) 177–179
Muscle, skeletal, rabbit, formation of adenosine triphosphate during the release of intravesicular and membrane-bound calcium ions from passively loaded sarcoplasmic reticulum from (Vale, M. G. P., Osório e Castro, V. R. & Carvalho, A. P.) 239–244
Muscle, skeletal, rat, effects of denervation on the turnover of protein in (Goldspink, D. F.) 71–80
Muscle, skeletal, rat, inhibitory effect of the administration of Triton WR-1339 on the activity of clearing-factor lipase in, and other tissues (Borensztajn, J., Rone, M. S. & Kotlar, T. J.) 539–543
Muscle, skeletal, rat, relative importance of the biosynthesis and degradation of protein in, in the regulation of muscle mass (Millward, D. J., Garlick, P. J., Nnanyelugo, D. O. & Waterlow, J. C.) 185–188
Muscle, skeletal, rat, sparing effect of increased concentrations of fatty acids in plasma on the concentrations of glycogen in, and liver during exercise (Rennie, M. J., Winder, W. W. & Holloszy, J. O.) 647–655
Myelin, brain, rat, developing, effects of treatment with Pronase and neuraminidase on a glycoprotein associated with (Quarles, R. H.) 143–150
Myelin, enzymic hydrolysis of the basic protein of, and of other proteins in central nervous system and lymphoid tissues from normal and demyelinating rats (Buletza, G. F., Jr. & Smith, M. E.) 627–633
Myometrium, uterine, rabbit, effects of oestradiol-17β and progesterone on the metabolism of [1,2-^{3}H]progesterone by, and endometrium (Verma, U. & Laumas, K. R.) 55–62

Nerves, effects of section of, on the turnover of protein in rat skeletal muscle (Goldspink, D. F.) 71–80
Nervous system, central, rat, enzymic hydrolysis of myelin basic protein and other proteins in, and lymph nodes from normal and demyelinating animals (Buletza, G. F., Jr. & Smith, M. E.) 627–633
Neuraminidase, effects of treatment with Pronase and, on a myelin-associated glycoprotein from developing rat brain (Quarles, R. H.) 143–150
Neurosecretory system, tobacco-hornworm properties of the glucagon-like and insulin-like hormones of (Tager, H. S., Markese, J., Kramer, K. J., Speirs, R. D. & Childs, C. N.) 515–520

Nicotinamide–adenine dinucleotide (phosphate), reduced, effects of the administration of glucose or nicotinamide on the regulation by, of the activity of tryptophan pyrrolase in rat liver (Badawy, A. A.-B. & Evans, M.) 381–390
Nicotinamide–adenine dinucleotide (reduced) dehydrogenase, mitochondrial, heart, ox, effects of tryptic digestion on the structure and catalytic properties of (Ragan, C. I.) 367–374
Nicotinamide, effects of the administration of, on the regulation by reduced nicotinamide–adenine dinucleotide (phosphate) of the activity of tryptophan pyrrolase in rat liver (Badawy, A. A.-B. & Evans, M.) 381–390
Nitrite, activation of the oxidation of, by the electrical component of the protonmotive force in energy-conserving reactions in *Nitrobacter winogradskyi* phosphorylating electron-transport particles (Cobley, J. G.) 481–491
Nitrite, proposal of a mechanism for the translocation of hydrogen ions during the reduction of cytochromes by, in *Nitrobacter winogradskyi* electron-transport particles (Cobley, J. G.) 493–498
Nitrobacter winogradskyi, activation of the oxidation of nitrite by the electrical component of the protonmotive force in energy-conserving reactions in phosphorylating electron-transport particles from (Cobley, J. G.) 481–491
Nitrobacter winogradskyi, proposal of a mechanism for the translocation of hydrogen ions during the reduction of cytochromes by nitrite in electron-transport particles from (Cobley, J. G.) 493–498
Nuclei, liver and kidney, rat, effects of the administration of sublethal doses of cycloheximide on the biosynthesis of the proteins of (Rothblum, L. I., Devlin, T. M. & Ch'ih, J. J.) 151–157
Nuclei, liver, rat, effect of phenobarbitone on the transport of ribonucleic acid from, to rat liver cytosol *in vitro* (Hazan, N. & McCauley, R.) 665–670
Nuclei, nuclear components responsible for the retention of steroid–receptor complexes by, of various mammalian tissues (Mainwaring, W. I. P., Symes, E. K. & Higgins, S. J.) 129–141
Nuclei, oviduct, chick, multiple binding sites for progesterone *in vivo* in, and the transcriptional response (Spelsberg, T. C.) 391–398
Nuclei, oviduct, chicken, binding of progesterone to multiple sites in, *in vitro* (Pikler, G. M., Webster, R. A. & Spelsberg, T. C.) 399–408
Nuclei, oviduct, chicken, role of acidic chromatin proteins in the high-affinity binding of progesterone in (Webster, R. A., Pikler, G. M. & Spelsberg, T. C.) 409–418
Nucleotides, effects of theophylline and, on the uptake of calcium ions by subcellular fractions of mouse islets of Langerhans (Sehlin, J.) 63–69

Oestradiol-17β, effects of progesterone and, on the metabolism of [1,2-^{3}H]progesterone by rabbit uterine endometrium and myometrium (Verma, U. & Laumas, K. R.) 55–62
Oestrogen–receptor complex, nuclear components responsible for the retention of, by nuclei of rat uterus (Mainwaring, W. I. P., Symes, E. K. & Higgins, S. J.) 129–141
Oviduct, chick, multiple binding sites for progesterone *in vivo* in nuclei of, and the transcriptional response (Spelsberg, T. C.) 391–398
Oviduct, chicken, binding of progesterone to multiple sites in nuclei from, *in vitro* (Pikler, G. M., Webster, R. A. & Spelsberg, T. C.) 399–408
Oviduct, chicken, role of acidic chromatin proteins in the high-affinity binding of progesterone in nuclei from (Webster, R. A., Pikler, G. M. & Spelsberg, T. C.) 409–418
Oxidative phosphorylation, *see* Phosphorylation, oxidative
Oxygen, effect of haematocrit value and concentration of, of perfusion blood on the redox state and metabolism of perfused rat liver (Mayes, P. A. & Felts, J. M.) 685–689

Pancreas, mouse, effects of nucleotides and theophylline on the uptake of calcium ions by subcellular fractions of islets of Langerhans isolated from (Sehlin, J.) 63–69
Pancreas, mouse, long-term effects of high concentrations of glucose on the activity of cyclic nucleotide phosphodiesterase in islets of Langerhans isolated from (Berne, C. & Andersson, A.) 461–463
Pancreas, ox, purification and biological properties of big glucagon from (O'Connor, K. J. & Lazarus, N. R.) 265–277
Pancreas, pigeon, biosynthesis of glucagon in islets of Langerhans isolated from (O'Connor, K. J. & Lazarus, N. R.) 279–288
Pancreas, rat, control by glycolysis of the transport of calcium ions and its relevance to the stimulus–secretion coupling of the glucose-induced release of insulin by islets of Langerhans of (Sener, A., Levy, J. & Malaisse, W. J.) 521–525
Pantetheine, role of adenosine triphosphate and, in the regulation of the biosynthesis of phosphatidylcholine in rat liver endoplasmic reticulum (Sribney, M., Knowles, C. L. & Lyman, E. M.) 507–514
Pent-4-enoate, effects of, and other short-chain fatty acids on the biosynthesis of citrulline in rat liver mitochondria (Glasgow, A. M. & Chase, H. P.) 301–307
Peptide chain elongation factor 2, effects of, and of adenosine diphosphate ribosylated peptide chain elongation factor 2 on the translocation of peptidyl-transfer ribonucleic acid on rat liver ribosomes (Montanaro, L., Sperti, S., Testoni, G. & Mattioli, A.) 15–23
Peptide chain elongation factors, effects on steps involving, during inhibition by crotins and ricin of the biosynthesis of protein *in vitro* by rat liver and *Artemia salina* ribosomes (Sperti, S., Montanaro, L., Mattioli, A., Testoni, G. & Stirpe, F.) 7–13
Peptide elongation, stimulation by thyroxine of, by a cell-free system containing rat liver polyribosomes (Carter, W. J., Faas, F. H. & Wynn, J. O.) 713–717
Peptidyl-transfer ribonucleic acid, effects of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor 2 on the translocation of, on rat liver ribosomes (Montanaro, L., Sperti, S., Testoni, G. & Mattioli, A.) 15–23
Peroxide, hydrogen, role of ubiquinone in the generation of, by ox heart mitochondria (Boveris, A., Cadenas, E. & Stoppani, A. O. M.) 435–444

Phenobarbitone, effect of, on the transport of ribonucleic acid from rat liver nuclei to rat liver cytosol *in vitro* (Hazan, N. & McCauley, R.) 665–670
Phenobarbitone, effect of the administration of, on the interaction between cholic acid and rat liver 100000*g* supernatant preparations (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 427–433
Phenylalanine, metabolism of valine, leucine, histidine and, by isolated perfused lactating guinea-pig mammary gland (Davis, S. R. & Mepham, T. B.) 553–560
Phosphatidate, production of 1,2-diacylglycerol and, in human erythrocytes treated with calcium ions and ionophore A23187 (Allan, D., Watts, R. & Michell, R. H.) 225–232
Phosphatidylcholine, regulation of the biosynthesis of, in rat liver endoplasmic reticulum (Sribney, M., Knowles, C. L. & Lyman, E. M.) 507–514
Phosphodiesterase, long-term effects of high concentrations of glucose on the activity of, in isolated mouse pancreatic islets of Langerhans (Berne, C. & Andersson, A.) 461–463
Phosphoenolpyruvate carboxykinase (guanosine triphosphate), extraction of messenger ribonucleic acid for, from rat liver and its translation *in vitro* by a cell-free system from rabbit reticulocytes (Tilghman, S. M., Fisher, L. M., Reshef, L., Ballard, F. J. & Hanson, R. W.) 619–626
Phospholipids, composition and biosynthesis of, and other lipids and electrophoretic profiles of proteins of heavy and light rat liver mitochondrial fractions (Satav, J. G., Katyare, S. S., Fatterpaker, P. & Sreenivasan, A.) 215–223
Phospholipids, composition of, and other lipids of pig lymphocyte plasma membrane (Levis, G. M., Evangelatos, G. P. & Crumpton, M. J.) 103–110
Phospholipids, composition of, of the plasma membrane of *Hydrodictyon africanum* (Bailey, D. S. & Northcote, D. H.) 295–300
Phosphorylation, oxidative, activation of the oxidation of nitrite by the electrical component of the protonmotive force in energy-conserving reactions during, in *Nitrobacter winogradskyi* electron-transport particles (Cobley, J. G.) 481–491
Phosphorylation, oxidative, inhibition by triphenylsulphonium ions of, and the activity of adenosine triphosphatase in ox heart mitochondria (Barrett, R. H. & Selwyn, M. J.) 315–322
Pigeon, biosynthesis of glucagon in isolated pancreatic islets of Langerhans from (O'Connor, K. J. & Lazarus, N. R.) 279–288
Pituitary-gland cells, rat, cultured, stimulation by prostaglandins and thyroliberin of the biosynthesis of prolactin and the formation of adenosone 3′:5′-cyclic monophosphate in (Gautvik, K. M. & Kriz, M.) 111–117
Plasma albumin, *see* Albumin, plasma
Plasma membrane, *see* Membrane, plasma
Plasma, rat, mechanism of the increased uptake of unesterified fatty acids from, by liver of ethanol-treated animals (Abrams, M. A. & Cooper, C.) 47–54
Plasma, rat, quantitative analysis of the incorporation of unesterified fatty acids from, into triacylglycerol in liver of ethanol-treated animals (Abrams, M. A. & Cooper, C.) 33–46
Plasma, rat, sparing effect of increased concentrations of fatty acids in, on the concentrations of glycogen in skeletal muscle and liver during exercise (Rennie, M. J., Winder, W. W. & Holloszy, J. O.) 647–655
Plasmacytomas, mouse, studies on the biosynthesis of J chain in, producing immunoglobulins (Kaji, H.) 681–684
Polyadenylate, biosynthesis of ribonucleic acid containing, by isolated Ehrlich-ascites-tumour-cell mitochondria (Aujame, L. & Freeman, K. B.) 499–506
Polypeptide *N*-acetylgalactosaminyltransferase, presence of, in a Golgi-apparatus-enriched fraction from mouse leukaemic cells (Warley, A. & Cook, G. M. W.) 245–251
Polyphenylalanine chains, nascent, ribosome-bound, prevention by, of the functional interaction of T-2 toxin with its receptor site during the biosynthesis of polyphenylalanine by rabbit reticulocyte lysates (Cannon, M., Smith, K. E. & Carter, C. J.) 289–294
Polyphenylalanine, prevention by ribosome-bound nascent polyphenylalanine chains of the functional interaction of T-2 toxin with its receptor site during the biosynthesis of, by rabbit reticulocyte lysates (Cannon, M., Smith, K. E. & Carter, C. J.) 289–294
Polyribosomes, liver, rat, stimulation by thyroxine of peptide elongation by a cell-free system containing (Carter, W. J., Faas, F. H. & Wynn, J. O.) 713–717
Polyribosomes, reticulocyte, rabbit, extraction of messenger ribonucleic acid for phosphoenolpyruvate carboxykinase (guanosine triphosphate) from rat liver and its translation *in vitro* by a cell-free system containing (Tilghman, S. M., Fisher, L. M., Reshef, L., Ballard, F. J. & Hanson, R. W.) 619–626
Polysomes, *see* Polyribosomes
Potassium ions, inhibition by botulinum toxin of the release of acetylcholine from guinea-pig cerebral-cortex synaptosomes *in vitro* stimulated by (Wonnacott, S. & Marchbanks, R. M.) 701–712
Pregnancy, metabolism and mobilization of maternal guinea-pig adipose-tissue lipids and the accumulation of triacylgylcerol in the liver of the foetus during (Jones, C. T.) 357–365
Procollagen, effects of αα′-bipyridyl, colchicine and antimycin A on the secretory process for, in chick-embryo tendon and cartilage cells (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90
Progesterone, binding of, to multiple sites in chicken oviduct nuclei *in vitro* (Pikler, G. M., Webster, R. A. & Spelsberg, T. C.) 399–408
Progesterone, effects of oestradiol-17β and, on the metabolism of [1,2-^{3}H]progesterone by rabbit uterine endometrium and myometrium (Verma, U. & Laumas, K. R.) 55–62
Progesterone, multiple binding sites for, in chick oviduct nuclei *in vivo* and the transcriptional response (Spelsberg, T. C.) 391–398
Progesterone, role of acidic chromatin proteins in the high-affinity binding of, in chicken oviduct nuclei (Webster, R. A., Pikler, G. M. & Spelsberg, T. C.) 409–418
Progestin–receptor complex, nuclear components responsible for the retention of, by nuclei of guinea-pig uterus (Mainwaring, W. I. P., Symes, E. K. & Higgins, S. J.) 129–141

Prolactin, control by insulin and, of the activity of pyruvate dehydrogenase in lactating rat mammary gland (Field, B. & Coore, H. G.) 333–337

Prolactin, stimulation by prostaglandins and thyroliberin of the biosynthesis of, and the formation of adenosine 3′:5′-cyclic monophosphate in cultured rat pituitary-gland cells (Gautvik, K. M. & Kriz, M.) 111–117

Pronase, effects of treatment with neuraminidase and, on a myelin-associated glycoprotein from developing rat brain (Quarles, R. H.) 143–150

Propionate, effects of, and other short-chain fatty acids on the biosynthesis of citrulline in rat liver mitochondria (Glasgow, A. M. & Chase, H. P.) 301–307

Prostaglandins, stimulation by thyroliberin and, of the biosynthesis of prolactin and the formation of adenosine 3′:5′-cyclic monophosphate in cultured rat pituitary-gland cells (Gautvik, K. M. & Kriz, M.) 111–117

Prostate gland, rat, evidence for a deoxyribonucleic acid-unwinding protein involved in the androgenic regulation of the biosynthesis of proteins in (Mainwaring, W. I. P., Rennie, P. S. & Keen, J.) 253–264

Prostate gland, rat, nuclear components responsible for the retention of steroid–receptor complexes by nuclei of, and other mammalian tissues (Mainwaring, W. I. P., Symes, E. K. & Higgins, S. J.) 129–141

Protein, basic, myelin, enzymic hydrolysis of, and other proteins in central nervous system and lymphoid tissue from normal and demyelinating rats (Buletza, G. F., Jr. & Smith, M. E.) 627–633

Protein, deoxyribonucleic acid-unwinding, evidence for, involved in the androgenic regulation of the biosynthesis of proteins in rat prostate gland (Mainwaring, W. I. P., Rennie, P. S. & Keen, J.) 253–264

Protein, effects of denervation on the turnover of, in rat skeletal muscle (Goldspink, D. F.) 71–80

Protein, effects of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor 2 on the translocation of peptidyl-transfer ribonucleic acid on rat liver ribosomes during the biosynthesis of (Montanaro, L., Sperti, S., Testoni, G. & Mattioli, A.) 15–23

Protein, effects of the administration of sublethal doses of cycloheximide on the biosynthesis of, in rat liver and kidney (Rothblum, L. I., Devlin, T. M. & Ch'ih, J. J.) 151–157

Protein, effects on the steps of peptide chain elongation during inhibition by crotins and ricin of the biosynthesis of, *in vitro* by rat liver and *Artemia salina* ribosomes (Sperti, S., Montanaro, L., Mattioli, A., Testoni, G. & Stirpe, F.) 7–13

Protein, inhibition by crotins and curcin of the biosynthesis of, *in vitro* by rabbit reticulocyte lysate (Stirpe, F., Pession-Brizzi, A., Lorenzoni, E., Strocchi, P., Montanaro, L. & Sperti, S.) 1–6

Protein, relative importance of the biosynthesis and degradation of, in rat skeletal muscle in the regulation of muscle mass (Millward, D. J., Garlick, P. J., Nnanyelugo, D. O. & Waterlow, J. C.) 185–188

Protein, sensitive method for the determination of the turnover of, in duckweed based on the measurement of 2-^{3}H-labelled amino acids in protein (Humphrey, T. J. & Davies, D. D.) 561–568

Protein, stimulation by thyroxine of peptide elongation during the biosynthesis of, by a cell-free system containing rat liver polyribosomes (Carter, W. J., Faas, F. H. & Wynn, J. O.) 713–717

Proteins, analysis of the complex curve for the disappearance of ^{14}C label during the turnover of a mixture of, in rat liver after the injection of sodium [^{14}C]bicarbonate (Garlick, P. J., Waterlow, J. C. & Swick, R. W.) 657–663

Proteins, chromatin, acidic, role of, in the high-affinity binding of progesterone in chicken oviduct nuclei (Webster, R. A., Pikler, G. M. & Spelsberg, T. C.) 409–418

Proteins, composition and biosynthesis of lipids and electrophoretic profiles of, of heavy and light rat liver mitochondrial fractions (Satav, J. G., Katyare, S. S., Fatterpaker, P. & Sreenivasan, A.) 215–223

Proteins, evidence for a deoxyribonucleic acid-unwinding protein involved in the androgenic regulation of the biosynthesis of, in rat prostate gland (Mainwaring, W. I. P., Rennie, P. S. & Keen, J.) 253–264

Proteins, normal and aberrant, selective control of the degradation of, in Reuber H35 hepatoma cells (Knowles, S. E. & Ballard, F. J.) 609–617

Proteins, seed, toxic, *Croton tiglium* and *Jatropha curcas*, inhibition by, of the biosynthesis of protein *in vitro* by rabbit reticulocyte lysate (Stirpe, F., Pession-Brizzi, A., Lorenzoni, E., Strocchi, P., Montanaro, L. & Sperti, S.) 1–6

Protonmotive force, activation of the oxidation of nitrite by the electrical component of, in energy-conserving reactions in *Nitrobacter winogradskyi* phosphorylating electron-transport particles (Cobley, J. G.) 481–491

Protons, proposal of a mechanism for the translocation of, during the reduction of cytochromes by nitrite in *Nitrobacter winogradskyi* electron-transport particles (Cobley, J. G.) 493–498

Protons, titration studies of the binding of, to human erythrocyte membrane (Hallam, C. & Wrigglesworth, J. M.) 159–165

Pyruvate carboxylase, biotin-mediated restoration of gluconeogenesis and the activity of, in liver slices from chicks with fatty liver and kidney syndrome (Bannister, D. W.) 167–173

Pyruvate dehydrogenase, control by insulin and prolactin of the activity of, in lactating rat mammary gland (Field, B. & Coore, H. G.) 333–337

Pyruvate dehydrogenase, phosphorylation state of cytosolic and mitochondrial adenine nucleotides and of, in isolated rat liver cells (Siess, E. A. & Wieland, O. H.) 91–102

Pyruvate, evidence for the involvement of the chloride ion carrier and of a chloride ion-independent carrier in the transport of lactate and, into human erythrocytes (Halestrap, A. P.) 193–207

Pyruvate transporter, mitochondrial, liver, rat, mechanism of the inhibition by α-cyanocinnamate derivatives of the activity of (Halestrap, A. P.) 181–183

Red blood cells, *see* Erythrocytes

Redox state, effect of haematocrit value and concentration of oxygen of perfusion blood on, and metabolism of perfused rat liver (Mayes, P. A. & Felts, J. M.) 685–689

Respiration, dissociation by ionophores of exocytosis and stimulation of, in guinea-pig and human leucocytes (Zabucchi, G. & Romeo, D.) 209–213
Respiration, nature of the endogenous substrates and their contribution to the fuel for, by rat spleen slices *in vitro* (Suter, D. & Weidemann, M. J.) 119–127
Reticulocytes, rabbit, extraction of messenger ribonucleic acid for phosphoenolpyruvate carboxykinase (guanosine triphosphate) from rat liver and its translation *in vitro* by a cell-free system from (Tilghman, S. M., Fisher, D. M., Reshef, L., Ballard, F. J. & Hanson, R. W.) 619–626
Reticulocytes, rabbit, inhibition by crotins and curcin of the biosynthesis of protein *in vitro* by lysate of (Stirpe, F., Pession-Brizzi, A., Lorenzoni, E., Strocchi, P., Montanaro, L. & Sperti, S.) 1–6
Reticulocytes, rabbit, prevention by ribosome-bound nascent polyphenylalanine chains of the functional interaction of T-2 toxin with its receptor site during the biosynthesis of polyphenylalanine by lysates of (Cannon, M., Smith, K. E. & Carter, C. J.) 289–294
Reticulum, endoplasmic, liver, rat, regulation of the biosynthesis of phosphatidylcholine in (Sribney, M., Knowles, C. L. & Lyman, E. M.) 507–514
Reticulum, sarcoplasmic, skeletal-muscle, rabbit, formation of adenosine triphosphate during the release of intravesicular and membrane-bound calcium ions from (Vale, M. G. P., Osório e Castro, V. R. & Carvalho, A. P.) 239–244
Reuber H35 hepatoma cells, selective control of the degradation of normal and aberrant proteins in (Knowles, S. E. & Ballard, F. J.) 609–617
Ribonucleic acid, effect of phenobarbitone on the transport of, from rat liver nuclei to rat liver cytosol *in vitro* (Hazan, N. & McCauley, R.) 665–670
Ribonucleic acid, influence of glucocorticoids on the stimulation by leucocyte endogenous mediator on the biosynthesis of, and of plasma acute-phase globulins in rat liver (Thompson, W. L., Abeles, F. B., Beall, F. A., Dinterman, R. E. & Wannemacher, R. W., Jr.) 25–32
Ribonucleic acid, messenger, phosphoenolpyruvate carboxykinase (guanosine triphosphate), extraction of, from rat liver and its translation *in vitro* by a cell-free system from rabbit reticulocytes (Tilghman, S. M., Fisher, L. M., Reshef, L., Ballard, F. J. & Hanson, R. W.) 619–626
Ribonucleic acid, polyadenylate-containing, biosynthesis of, by isolated Ehrlich-ascites-tumour-cell mitochondria (Aujame, L. & Freeman, K. B.) 499–506
Ribonucleic acid polymerases, multiple binding sites for progesterone in chick oviduct nuclei *in vivo* and correlation with effects of the hormone on the activities of (Spelsberg, T. C.) 391–398
Ribonucleic acid, transfer, peptidyl-, effects of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor 2 on the translocation of, on rat liver ribosomes (Montanaro, L., Sperti, S., Testoni, G. & Mattioli, A.) 15–23
Ribosomes, liver, rat, effects of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor 2 on the translocation of peptidyl-transfer ribonucleic acid on (Montanaro, L., Sperti, S., Testoni, G. & Mattioli, A.) 15–23
Ribosomes, liver, rat, effects on the steps of peptide chain elongation during inhibition by crotins and ricin of the biosynthesis of protein *in vitro* by *Artemia salina* ribosomes and (Sperti, S., Montanaro, L., Mattioli, A., Testoni, G. & Stirpe, F.) 7–13
Ribosomes, prevention by nascent polyphenylalanine chains bound to, of the functional interaction of T-2 toxin with its receptor site during the biosynthesis of polyphenylalanine by rabbit reticulocyte lysates (Cannon, M., Smith, K. E. & Carter, C. J.) 289–294
Ribosomes, skeletal-muscle, rat, involvement of, in the effects of denervation on the turnover of protein (Goldspink, D. F.) 71–80
Ricin, effects on the steps of peptide chain elongation during inhibition by crotins and, of the biosynthesis of protein *in vitro* by rat liver and *Artemia salina* ribosomes (Sperti, S., Montanaro, L., Mattioli, A., Testoni, G. & Stirpe, F.) 7–13

Sarcoplasmic reticulum, *see* Reticulum, sarcoplasmic
Seeds, *Croton tiglium* and *Jatropha curcas*, inhibition by toxic proteins from, of the biosynthesis of protein *in vitro* by rabbit reticulocyte lysate (Stirpe, F., Pession-Brizzi, A., Lorenzoni, E., Strocchi, P., Montanaro, L. & Sperti, S.) 1–6
Seminal vesicle, rat, accumulation of *myo*-inositol in, and other organs after its injection into the male animal (Lewin, L. M., Yannai, Y., Sulimovici, S. & Kraicer, P. F.) 375–380
Serine, compartmentation of glycine and, in the biosynthesis of plasma albumin and ferritin in rat liver (Fern, E. B. & Garlick, P. J.) 189–192
Serum albumin, *see* Albumin, plasma
Serum, rat, purification and properties of uridine diphosphate galactose–glycoprotein galactosyltransferase from, and liver (Fraser, I. H. & Mookerjea, S.) 347–355
Sickle-cell anaemia, *see* Anaemia, sickle-cell
Skeletal muscle, *see* Muscle, skeletal
Skin, rat, evidence for the existence of a pathway for the biosynthesis of glycogen in (Peters, R. F. & White, A. M.) 465–468
Sodium [^{14}C]bicarbonate, analysis of the complex curve for the disappearance of ^{14}C label during the turnover of a mixture of proteins in rat liver after the injection of (Garlick, P. J., Waterlow, J. C. & Swick, R. W.) 657–663
Spermatozoa, epididymal, rat, regulation by androgens of the activities of glycolytic enzymes in, and epididymis (Brooks, D. E.) 527–537
Spleen, rat, nature of the endogenous substrates and their contribution to the respiratory fuel of slices of, *in vitro* (Suter, D. & Weidemann, M. J.) 119–127
Starvation, effect of ischaemic limb injury on the rates of metabolism of ketone bodies in the rat during (Barton, R. N.) 233–238
Starvation, effect of, on the phosphorylation state of cytosolic and mitochondrial adenine nucleotides and of pyruvate dehydrogenase in isolated rat liver cells (Siess, E. A. & Wieland, O. H.) 91–102
Steroid–receptor complexes, nuclear components responsible for the retention of, by nuclei of various mammalian tissues (Mainwaring, W. I. P., Symes, E. K. & Higgins, S. J.) 129–141

Steroids, androgenic, evidence for a deoxyribonucleic acid-unwinding protein involved in the regulation by, of the biosynthesis of proteins in rat prostate gland (Mainwaring, W. I. P., Rennie, P. S. & Keen, J.) 253–264
Steroids, androgenic, regulation by, of the activities of glycolytic enzymes in rat epididymis and epididymal spermatozoa (Brooks, D. E.) 527–537
Steroids, glucocorticoid, influence of, on the stimulation by leucocyte endogenous mediator on the biosynthesis of ribonucleic acid and of plasma acute-phase globulins in rat liver (Thompson, W. L., Abeles, F. B., Beall, F. A., Dinterman, R. E. & Wannemacher, R. W., Jr.) 25–32
Steroids, glucocorticoid, role of, in stimulation of the biosynthesis of fatty acids in rat liver (Kirk, C. J., Verrinder, T. R. & Hems, D. A.) 593–602
Steroids, glucocorticoid, role of, in stimulation of the deposition of glycogen in rat liver (Whitton, P. D. & Hems, D. A.) 585–592
Supernatant fraction, *see* Cytosol
Superoxide ions, role of ubiquinone in the generation of, and hydrogen peroxide by ox heart mitochondria (Boveris, A., Cadenas, E. & Stoppani, A. O. M.) 435–444
Synaptosomes, cerebral-cortex, guinea-pig, inhibition by botulinum toxin of the depolarization-evoked release of acetylcholine from, *in vitro* (Wonnacott, S. & Marchbanks, R. M.) 701–712

Tendon cells, chick-embryo, effects of $\alpha\alpha'$-bipyridyl, colchicine and antimycin A on the secretory process for procollagen in, and cartilage cells (Harwood, R., Grant, M. E. & Jackson, D. S.) 81–90
Testosterone, evidence for a deoxyribonucleic acid-unwinding protein involved in the regulation by, of the biosynthesis of proteins in rat prostate gland (Mainwaring, W. I. P., Rennie, P. S. & Keen, J.) 253–264
Testosterone, regulation by, of the activities of glycolytic enzymes in rat epididymis and epididymal spermatozoa (Brooks, D. E.) 527–537
Theophylline, effects of nucleotides and, on the uptake of calcium ions by subcellular fractions of mouse islets of Langerhans (Sehlin, J.) 63–69
L-Threonine 3-dehydrogenase, initiation by, of the degradation of L-threonine in various bacteria (Bell, S. C. & Turner, J. M.) 449–458
L-Threonine, initiation by L-threonine 3-dehydrogenase of the degradation of, in various bacteria (Bell, S. C. & Turner, J. M.) 449–458
Thymidine, evidence for the absence of a dark-repair mechanism for the incorporation of, into deoxyribonucleic acid in *Halobacterium cutirubrum* N.R.C. 34001 (Grey, V. L. & Fitt, P. S.) 569–575
Thyroid gland, rat, accumulation of *myo*-inositol in, and other organs after its injection into the male animal (Lewin, L. M., Yannai, Y., Sulimocivi, S. & Kraicer, P. F.) 375–380
Thyroliberin, stimulation by prostaglandins and, of the biosynthesis of prolactin and the formation of adenosine 3′:5′-cyclic monophosphate in cultured rat pituitary-gland cells (Gautvik, K. M. & Kriz, M.) 111–117
Thyrotropin-releasing factor, *see* Thyroliberin
Thyroxine, stimulation by, of peptide elongation by a cell-free system containing rat liver polyribosomes (Carter, W. J., Faas, F. H. & Wynn, J. O.) 713–717
Tobacco hornworm (*Manduca sexta*), properties of glucagon-like and insulin-like hormones of the neurosecretory system of (Tager, H. S., Markese, J., Kramer, K. J., Speirs, R. D. & Childs, C. N.) 515–520
Toxin, botulinum, inhibition by, of the depolarization-evoked release of acetylcholine from guinea-pig cerebral-cortex synaptosomes *in vitro* (Wonnacott, S. & Marchbanks, R. M.) 701–712
T-2 toxin, prevention by ribosome-bound nascent polyphenylalanine chains of the functional interaction of, with its receptor site during the biosynthesis of polyphenylalanine by rabbit reticulocyte lysates (Cannon, M., Smith, K. E. & Carter, C. J.) 289–294
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Triacylglycerol, metabolism and mobilization of maternal guinea-pig adipose-tissue lipids and the accumulation of, in the liver of the foetus during pregnancy (Jones, C. T.) 357–365
Triacylglycerol, quantitative analysis of the metabolism of, in liver of ethanol-treated rats (Abrams, M. A. & Cooper, C.) 33–46
Triglyceride, *see* Triacylglycerol
Triphenylsulphonium ions, inhibition by, of oxidative phosphorylation and the activity of adenosine triphosphatase in ox heart mitochondria (Barrett, R. H. & Selwyn, M. J.) 315–322
Triton WR-1339, inhibitory effect of the administration of, on the activity of clearing-factor lipase in various rat tissues (Borensztajn, J., Rone, M. S. & Kotlar, T. J.) 539–543
Tryptophan pyrrolase, effects of the administration of glucose or nicotinamide on the regulation by reduced nicotinamide–adenine dinucleotide (phosphate) of the activity of, in rat liver (Badawy, A. A.-B. & Evans, M.) 381–390
Tumours, mouse, studies on the biosynthesis of J chain in, producing immunoglobulins (Kaji, H.) 681–684
Tyrosine, relative importance of the biosynthesis of protein measured by the incorporation of, and the degradation of protein in rat skeletal muscle in the regulation of muscle mass (Millward, D. J., Garlick, P. J., Nnanyelugo, D. O. & Waterlow, J. C.) 185–188

Ubiquinone, role of, in the generation of hydrogen peroxide by ox heart mitochondria (Boveris, A., Cadenas, E. & Stoppani, A. O. M.) 435–444
Uridine diphosphate galactose–glycoprotein galactosyltransferase, purification and properties of, from rat liver and serum (Fraser, I. H. & Mookerjea, S.) 347–355
Uterus, rabbit, effects of oestradiol-17β and progesterone on the metabolism of [1,2-^{3}H]progesterone by endometrium and myometrium from (Verma, U. & Laumas, K. R.) 55–62
Uterus, rat and guinea-pig, nuclear components responsible for the retention of steroid–receptor complexes by nuclei of, and other mammalian tissues (Mainwaring, W. I. P., Symes, E. K. & Higgins, S. J.) 129–141

Valine, metabolism of leucine, histidine, phenylalanine and, by isolated perfused lactating guinea-pig mammary gland (Davis, S. R. & Mepham, T. B.) 553–560
Vitamin B_{12}, size of the pools of deoxyribonucleoside triphosphates in *Euglena gracilis* strain Z deficient in (Carell, E. F. & Goetz, G. H.) 473–475
Zea mays, *see* Maize